

Anti-Cyclin D3 Recombinant Rabbit Monoclonal Antibody



Catalog #: 1600

Aliases

CCND3; Cyclin D3; G1/S-Specific Cyclin-D3; D3-Type Cyclin

Background

Gene Name: CCND3

NCBI Gene Entry: [896](#)

UniProt Entry: [P30281](#)

Application Information

Molecular Weight: Predicted, 33 kDa; observed, 32 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 23GB3530

Species Reactivity: Human, mouse, rat

Applications Tested: Western blotting (WB), immunocytochemistry (IC)

Immunogen

A synthesized peptide derived from human Cyclin D3

Isotype

Rabbit IgG

Storage Buffer

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

Storage

Store at -20 °C for one year.

Recommended Dilutions

Western Blotting (WB): 1:1,000-1:5,000

Immunocytochemistry (IC): 1:100-1:1,000

Note: This product is for research use only.

Validation Data


SUPPORT

SUPPORT@GENUINBIOTECH.COM
TEL: +1-540-855-7041


ORDERS

SALES@GENUINBIOTECH.COM
FAX: +1-540-855-7041

WWW.GENUINBIOTECH.COM



Immunocytochemical staining of HT-1080 cells with Cyclin D3 antibody (Cat#1600, 1:1,000). Nuclei were stained blue with DAPI; Cyclin D3 was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: Medium. Scale bar: 20 μ m.



Western blotting analysis using anti-Cyclin D3 antibody (Cat#1600). Total cell lysates (30 µg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-Cyclin D3 antibody (Cat#1600, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using FeQ™ ECL Substrate Kit (Cat#226).