# **Anti-Histone H3 (acetyl K4) Recombinant Rabbit Monoclonal Antibody**



**Catalog #: 1665** 

#### **Aliases**

H3C1; H3 Clustered Histone 1; HIST1H3A; H3/A; H3FA; Histone Cluster 1 H3 Family Member A; H3 Histone Family, Member A; Histone Cluster 1, H3a; Histone 1, H3a; Histone H3.1; Histone H3/A; H3FC HIST1H3C; Histone H3/B; Histone H3/C; Histone H3/D; Histone H3/F; Histone H3/H; Histone H3/I; Histone H3/J; Histone H3/K; Histone H3/L; HIST1H3B; HIST1H3D; HIST1H3E; HIST1H3F; HIST1H3G; HIST1H3H; HIST1H3I; HIST1H3J; H3C10; H3C11; H3C12; H3C2; H3C3; H3C4; H3C6; H3C7; H3C8; H3FL; H3FB; H3FD; H3FI; H3FH; H3FK; H3FF; H3FJ

### **Background**

Gene Name: H3C1 NCBI Gene Entry: 8350 UniProt Entry: P68431

### **Application Information**

Molecular Weight: Predicted, 15 kDa; observed, 15 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 23GB3980

Species Reactivity: Human, mouse, rat

Applications Tested: Western blotting (WB), flow cytometry (FCM), immunocytochemistry (IC)

#### Immunogen

A synthesized peptide derived from human Histone H3 (acetyl K4)

#### **Isotype**

Rabbit IgG

#### **Storage Buffer**

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

### **Storage**

Store at -20 °C for one year.

#### **Recommended Dilutions**


Western Blotting (WB): 1:1,000-1:5,000

Flow Cytometry (FCM): 1:2,000


Immunocytochemistry (IC): 1:100-1:1,000

**Note:** This product is for research use only.

#### **Validation Data**




Flow cytometric analysis of Histone H3 (acetyl K4) expression in HAP-1 cells using Histone H3 (acetyl K4) antibody (Cat#1665, 1:2,000). Green, isotype control; red, Histone H3 (acetyl K4).



Immunocytochemical staining of HAP-1 cells with Histone H3 (acetyl K4) antibody (Cat#1665,

## **Anti-Histone H3 (acetyl K4) Recombinant Rabbit Monoclonal Antibody**

1:1,000). Nuclei were stained blue with DAPI; Histone H3 (acetyl K4) was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: High. Scale bar: 20 µm.



Western blotting analysis using anti-Histone H3 (acetyl K4) antibody (Cat#1665). Total cell lysates (30  $\mu$ g) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-Histone H3 (acetyl K4) antibody (Cat#1665, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using FeO<sup>TM</sup> ECL Substrate Kit (Cat#226).