# **Anti-Huntingtin interacting protein 1 Recombinant Rabbit Monoclonal Antibody**



## **Catalog #: 2104**

#### **Aliases**

HIP1; Huntingtin Interacting Protein 1; ILWEQ; Huntingtin-Interacting Protein 1; Huntingtin-Interacting Protein I; HIP-I; SHONgamma; SHONbeta; HIP-1; SHON

# **Background**

Gene Name: HIP1

NCBI Gene Entry: 3092 UniProt Entry: 000291

# **Application Information**

Molecular Weight: Predicted, 116 kDa; observed, 116 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 23GB6020

Species Reactivity: Human, mouse, rat

Applications Tested: Western blotting (WB), flow cytometry (FCM), immunocytochemistry (IC)

# **Immunogen**

A synthesized peptide derived from human HIP1

## **Isotype**

Rabbit IgG

### **Storage Buffer**

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

### **Storage**

Store at -20 °C for one year.

#### **Recommended Dilutions**

Western Blotting (WB): 1:1,000-1:5,000

Flow Cytometry (FCM): 1:2,000


Immunocytochemistry (IC): 1:100-1:1,000

**Note:** This product is for research use only.

#### Validation Data

TEL: +1-540-855-7041


# **Anti-Huntingtin interacting protein 1 Recombinant Rabbit Monoclonal Antibody**



Copyright ©2024 Genuin Biotechnologies LLC


# Huntingtin interacting protein 1-Alexa Fluor® 647

Flow cytometric analysis of Huntingtin interacting protein 1 expression in C2C12 cells using Huntingtin interacting protein 1 antibody (Cat#2104, 1:2,000). Green, isotype control; red, Huntingtin interacting protein 1.



Immunocytochemical staining of C2C12 cells with anti-Huntingtin interacting protein 1 antibody (Cat #2104, 1:1,000). Nuclei were stained blue with DAPI; Huntingtin interacting protein 1 was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: Low. Scale bar, 20  $\mu$ m.

# **Anti-Huntingtin interacting protein 1 Recombinant Rabbit Monoclonal Antibody**



Western blotting analysis using anti-Huntingtin interacting protein 1 antibody (Cat#2104). Total cell lysates (30 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-Huntingtin interacting protein 1 antibody (Cat#2104, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using FeQ<sup>TM</sup> ECL Substrate Kit (Cat#226).