# **Anti-Phospho-PKC zeta (T560) Recombinant Rabbit Monoclonal Antibody**



**Catalog #: 2448** 

#### **Aliases**

Protein Kinase C Zeta; PKC2; Protein Kinase C Zeta Type; EC 2.7.11.13; NPKC-Zeta; Protein Kinase C, Zeta; EC 2.7.11; PKC-ZETA

### **Background**

Gene Name: PRKCZ NCBI Gene Entry: 5590 UniProt Entry: Q05513

### **Application Information**

Molecular Weight: Predicted, 68 kDa; observed, 68 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 24GB890

Species Reactivity: Human, mouse, rat

Applications Tested: Western blotting (WB), flow cytometry (FCM), immunocytochemistry (IC)

### **Immunogen**

A synthesized peptide derived from human PKC zeta

#### **Isotype**

Rabbit IgG

#### **Storage Buffer**

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

#### **Storage**

Store at -20 °C for one year.

#### **Recommended Dilutions**

Western Blotting (WB): 1:1,000-1:5,000

Flow Cytometry (FCM): 1:2,000

Immunocytochemistry (IC): 1:100-1:1,000


**Note:** This product is for research use only.

#### Validation Data

TEL: +1-540-855-7041


Copyright ©2024 Genuin Biotechnologies LLC

# **Anti-Phospho-PKC zeta (T560) Recombinant Rabbit Monoclonal Antibody**




Phospho-PKC zeta (T560)-Alexa Fluor® 647

Flow cytometric analysis of Phospho-PKC zeta (T560) expression in HepG2 cells using anti-Phospho-PKC zeta (T560) antibody (Cat#2448, 1:2,000). Green, isotype control; red, Phospho-PKC zeta (T560).



Immunocytochemical staining of HepG2 cells with anti-Phospho-PKC zeta (T560) antibody (Cat#2448, 1:1,000). Nuclei were stained blue with DAPI; Phospho-PKC zeta (T560) was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: High. Scale bar: 20 μm.

## **Anti-Phospho-PKC zeta (T560) Recombinant Rabbit Monoclonal Antibody**



Western blotting analysis using anti-Phospho-PKC zeta (T560) antibody (Cat#2448). Total cell lysates (30 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-Phospho-PKC zeta (T560) antibody (Cat#2448, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using FeQ<sup>TM</sup> ECL Substrate Kit (Cat#226).