Anti-Oncostatin M Recombinant Rabbit Monoclonal Antibody



Catalog #: 2536

Aliases

OSM; Oncostatin M; Oncostatin-M; MGC20461

Background

Gene Name: OSM NCBI Gene Entry: 5008 UniProt Entry: P13725

Application Information

Molecular Weight: Predicted, 28 kDa; observed, 22 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 24GB1300

Species Reactivity: Human, mouse

Applications Tested: Western blotting (WB), flow cytometry (FCM), immunocytochemistry (IC)

Immunogen

A synthesized peptide derived from human OSM

Isotype

Rabbit IgG

Storage Buffer

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

Storage

Store at -20 °C for one year.

Recommended Dilutions

Western Blotting (WB): 1:1,000-1:5,000


Flow Cytometry (FCM): 1:2,000

Immunocytochemistry (IC): 1:100-1:1,000

Note: This product is for research use only.


Validation Data

Anti-Oncostatin M Recombinant Rabbit Monoclonal Antibody




Copyright ©2024 Genuin Biotechnologies LLC

Flow cytometric analysis of Oncostatin M expression in HepG2 cells using Oncostatin M antibody (Cat#2536, 1:2,000). Green, isotype control; red, Oncostatin M.



Immunocytochemical staining of HepG2 cells with anti-Oncostatin M antibody (Cat#2536, 1:1,000). Nuclei were stained blue with DAPI; Oncostatin M was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: High. Scale bar: 20 μm.

Anti-Oncostatin M Recombinant Rabbit Monoclonal Antibody



Western blotting analysis using anti-Oncostatin M antibody (Cat#2536). Total cell lysates (30 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-Oncostatin M antibody (Cat#2536, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using NaQTM ECL Substrate Kit (Cat#716).