Anti-TNF Receptor Superfamily Member 19 Recombinant Rabbit Monoclonal Antibody



Catalog #: 2745

Aliases

TNFRSF19; TNF Receptor Superfamily Member 19; TRADE; TROY; TAJ; Toxicity And JNK Inducer; TAJ-Alpha; Tumor Necrosis Factor Receptor Superfamily Member 19; Tumor Necrosis Factor Receptor Superfamily, Member 19

Background

Gene Name: TNFRSF19 NCBI Gene Entry: 55504 UniProt Entry: Q9NS68

Application Information

Molecular Weight: Predicted, 46 kDa; observed, 46 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 24GB1745

Species Reactivity: Human, mouse, rat

Applications Tested: Western blotting (WB), flow cytometry (FCM), immunocytochemistry (IC)

Immunogen

A synthesized peptide derived from human beta TROY

Isotype

Rabbit IgG

Storage Buffer

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

Storage

Store at -20 °C for one year.

Recommended Dilutions

Western Blotting (WB): 1:1,000-1:5,000

Flow Cytometry (FCM): 1:2,000


Immunocytochemistry (IC): 1:100-1:1,000

Note: This product is for research use only.

Copyright ©2024 Genuin Biotechnologies LLC


Anti-TNF Receptor Superfamily Member 19 Recombinant Rabbit Monoclonal Antibody

Validation Data



TNF receptor superfamily member 19-Alexa Fluor® 647


Flow cytometric analysis of TNF receptor superfamily member 19 expression in HepG2 cells using anti-TNF receptor superfamily member 19 antibody (Cat#2745, 1:2,000). Green, isotype control; red, TNF receptor superfamily member 19.



Immunocytochemical staining of HepG2 cells with anti-TNF receptor superfamily member 19 antibody(Cat#2745, 1:1,000) . Nuclei were stained blue with DAPI; TNF receptor superfamily member 19 was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: High. Scale bar, 20 μ m.

TEL: +1-540-855-7041

Anti-TNF Receptor Superfamily Member 19 Recombinant Rabbit Monoclonal Antibody



Western blotting analysis using anti-TNF receptor superfamily member 19 antibody (Cat#2745). Total cell lysates (30 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-TNF receptor superfamily member 19 antibody (Cat#2745, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using FeQTM ECL Substrate Kit (Cat#226).