#### **Anti-Chromobox Recombinant Rabbit Monoclonal Antibody**



**Catalog #: 2927** 

#### **Aliases**

CBX5; Chromobox; HP1-ALPHA; HP1; Chromobox Homolog 5 (HP1 Alpha Homolog, Drosophila); Heterochromatin Protein 1 Homolog Alpha; Chromobox Protein Homolog 5; HP1Hs-Alpha; Antigen P25; HP1alpha; HP1A; Chromobox Homolog 5 (Drosophila HP1 Alpha); Heterochromatin Protein 1-Alpha; HP1 Alpha Homolog (Drosophila); Epididymis Luminal Protein 25; Chromobox Homolog 5; HP1 Alpha Homolog; HP1Hs Alpha; HP1 Alpha; HEL25

## **Background**

Gene Name: CBX5

NCBI Gene Entry: 23468 UniProt Entry: P45973

# **Application Information**

Molecular Weight: Predicted, 22 kDa; observed, 22 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 24GB3210

Species Reactivity: Human, mouse, rat

Applications Tested: Western blotting (WB), immunocytochemistry (IC), flow cytometry (FCM)

#### Immunogen

A synthesized peptide derived from human HP1 alpha

### **Isotype**

Rabbit IgG

#### **Storage Buffer**

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

#### **Storage**

Store at -20 °C for one year.


#### **Recommended Dilutions**

Western Blotting (WB): 1:1,000-1:5,000 Immunocytochemistry (IC): 1:100-1:1,000

Flow Cytometry (FCM): 1:2,000


**Note:** This product is for research use only.

#### **Validation Data**




Copyright ©2024 Genuin Biotechnologies LLC

Flow cytometric analysis of Chromobox 5 expression in HepG2 cells using anti-Chromobox 5 antibody (Cat#2927, 1:2,000). Green, isotype control; red, Chromobox 5.



Immunocytochemical staining of HepG2 cells with anti-Chromobox 5 antibody (Cat#2927, 1:1,000). Nuclei were stained blue with DAPI; Chromobox 5 was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: High. Scale bar: 20 μm.

# **Anti-Chromobox Recombinant Rabbit Monoclonal Antibody**



Western blotting analysis using anti-Chromobox 5 antibody (Cat#2927). Total cell lysates (30 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-Chromobox 5 antibody (Cat#2927, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using FeQ<sup>TM</sup> ECL Substrate Kit (Cat#226).