# **Anti-Fibroblast Growth Factor Receptor 3 Recombinant Rabbit Monoclonal Antibody**



**Catalog #: 2963** 

#### **Aliases**

FGFR3; Fibroblast Growth Factor Receptor 3; JTK4; CD333; CEK2; EC 2.7.10.1; FGFR-3; ACH; Achondroplasia, Thanatophoric Dwarfism; Fibroblast Growth Factor Receptor 3-S; Hydroxyaryl-Protein Kinase; Tyrosine Kinase JTK4; CD333 Antigen; HSFGFR3EX; EC 2.7.10

### **Background**

Gene Name: FGFR3 NCBI Gene Entry: 2261 UniProt Entry: P22607

## **Application Information**

Molecular Weight: Predicted, 88 kDa; observed, 125 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 24GB3380

Species Reactivity: Human

Applications Tested: Western blotting (WB), flow cytometry (FCM), immunocytochemistry (IC)

#### **Immunogen**

A synthesized peptide derived from human FGFR3

#### **Isotype**

Rabbit IgG

## **Storage Buffer**

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

#### **Storage**

Store at -20 °C for one year.

#### **Recommended Dilutions**


Western Blotting (WB): 1:1,000-1:5,000

Flow Cytometry (FCM): 1:2,000

Immunocytochemistry (IC): 1:100-1:1,000

**Note:** This product is for research use only.


#### **Validation Data**



Copyright @2024 Genuin Biotechnologies LLC


# Fibroblast growth factor receptor 3-Alexa Fluor® 647

Flow cytometric analysis of Fibroblast growth factor receptor 3 expression in HepG2 cells using anti-Fibroblast growth factor receptor 3 antibody (Cat#2963, 1:2,000). Green, isotype control; red, Fibroblast growth factor receptor 3.



## **Anti-Fibroblast Growth Factor Receptor 3 Recombinant Rabbit Monoclonal Antibody**

Immunocytochemical staining of HepG2 cells with anti-Fibroblast growth factor receptor 3 antibody (Cat#2963, 1:1,000). Nuclei were stained blue with DAPI; Fibroblast growth factor receptor 3 was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: High. Scale bar, 20 µm.



Western blotting analysis using anti-Fibroblast growth factor receptor 3 antibody (Cat#2963). Total cell lysates (30 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-Fibroblast growth factor receptor 3 antibody (Cat#2963, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using FeQ<sup>TM</sup> ECL Substrate Kit (Cat#226).