## **Anti-PCSK9 Recombinant Rabbit Monoclonal Antibody**



**Catalog #: 3097** 

#### **Aliases**

PCSK9; Proprotein Convertase Subtilisin/Kexin Type 9; NARC-1; FH3; Subtilisin/Kexin-Like Protease PC9; HCHOLA3; NARC1; PC9;

Convertase Subtilisin/Kexin Type 9 Preproprotein; Hypercholesterolemia, Autosomal Dominant 3; Neural Apoptosis Regulated Convertase 1; Neural Apoptosis-Regulated Convertase 1; Proprotein Convertase 9; EC 3.4.21.111; EC 3.4.21.-; EC 3.4.21; LDLCQ1; FHCL3

## **Background**

Gene Name: PCSK9

NCBI Gene Entry: 255738 UniProt Entry: Q8NBP7

## **Application Information**

Molecular Weight: Predicted, 74 kDa; observed, 62,74 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 24GB4050

Species Reactivity: Human, mouse

Applications Tested: Western blotting (WB), flow cytometry (FCM), immunocytochemistry (IC)

#### **Immunogen**

A synthesized peptide derived from human PCSK9

#### **Isotype**

Rabbit IgG

## **Storage Buffer**

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

#### **Storage**

Store at -20 °C for one year.

#### **Recommended Dilutions**

Western Blotting (WB): 1:1,000-1:5,000


Flow Cytometry (FCM): 1:2,000

Immunocytochemistry (IC): 1:100-1:1,000

# **Anti-PCSK9 Recombinant Rabbit Monoclonal Antibody**


Note: This product is for research use only.

#### **Validation Data**




Flow cytometric analysis of PCSK9 expression in HepG2 cells using anti-PCSK9 antibody (Cat#3097, 1:2,000). Green, isotype control; red, PCSK9.

# **Anti-PCSK9 Recombinant Rabbit Monoclonal Antibody**



Immunocytochemical staining of HepG2 cells with anti-PCSK9 antibody (Cat#3097, 1:1,000). Nuclei were stained blue with DAPI; PCSK9 was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: Meduim. Scale bar:  $20 \, \mu m$ .



#### PAGE 4

# **Anti-PCSK9 Recombinant Rabbit Monoclonal Antibody**

Western blotting analysis using anti-PCSK9 antibody (Cat#3097). Total cell lysates (30 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-PCSK9 antibody (Cat#3097, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using FeQ<sup>TM</sup> ECL Substrate Kit (Cat#226).