# **Anti-Phospho-MCM2 (S108) Recombinant Rabbit Monoclonal Antibody**



**Catalog #: 3338** 

#### **Aliases**

MCM2; Minichromosome Maintenance Complex Component 2; BM28; KIAA0030; D3S3194; DFNA70; Cdc19; CCNL1; CDCL1; Minichromosome Maintenance Protein 2 Homolog; DNA Replication Licensing Factor MCM2; Nuclear Protein BM28; Mitotin; MCM2 Minichromosome Maintenance Deficient 2, Mitotin (S. Cerevisiae); Minichromosome Maintenance Deficient (S. Cerevisiae) 2 (Mitotin); Minichromosome Maintenance Deficient 2 (Mitotin); Cell Devision Cycle-Like 1; Cyclin-Like 1; EC 3.6.4.12

### **Background**

Gene Name: MCM2 NCBI Gene Entry: 4171 UniProt Entry: P49736

### **Application Information**

Molecular Weight: Predicted, 102 kDa; observed, 125 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 24GB5185

Species Reactivity: Human, mouse, rat

Applications Tested: Western blotting (WB), immunocytochemistry (IC), flow cytometry (FCM)

#### Immunogen

A synthesized peptide derived from human Phospho-MCM2 (S108)

### **Isotype**

Rabbit IgG

#### **Storage Buffer**

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

## **Storage**

Store at -20 °C for one year.

#### **Recommended Dilutions**


Western Blotting (WB): 1:1,000-1:5,000 Immunocytochemistry (IC): 1:100-1:1,000

Flow Cytometry (FCM): 1:2,000


## **Anti-Phospho-MCM2 (S108) Recombinant Rabbit Monoclonal Antibody**

**Note:** This product is for research use only.

#### **Validation Data**




Flow cytometric analysis of phospho-MCM2 (S108) expression in HepG2 cells using anti-phospho-MCM2 (S108) antibody (Cat#3338, 1:2,000). Green, isotype control; red, phospho-MCM2 (S108).



Immunocytochemical staining of HepG2 cells with anti-Phospho-MCM2 (S108) antibody (Cat#3338, 1:1,000). Nuclei were stained blue with DAPI; Phospho-MCM2 (S108) was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance

# **Anti-Phospho-MCM2 (S108) Recombinant Rabbit Monoclonal Antibody**

based on laser Intensity and smart gain: High. Scale bar: 20 µm.



Western blotting analysis using anti-phospho-MCM2 (S108) antibody (Cat#3338). Total cell lysates (30  $\mu$ g) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-phospho-MCM2 (S108) antibody (Cat#3338, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using NaQ<sup>TM</sup> ECL Substrate Kit (Cat#716).