# **Anti-AKT Serine/Threonine Kinase 1 Rabbit Monoclonal Antibody**



**Catalog #: 3392** 

#### **Aliases**

AKT1; AKT Serine/Threonine Kinase 1; RAC; PKB; PRKBA; AKT; V-Akt Murine Thymoma Viral Oncogene Homolog 1; RAC-Alpha Serine/Threonine-Protein Kinase; Protein Kinase B Alpha; Proto-Oncogene C-Akt; Protein Kinase B; RAC-PK-Alpha; EC 2.7.11.1; RAC-ALPHA; PKB Alpha; V-Akt Murine Thymoma Viral Oncogene-Like Protein 1; Serine-Threonine Protein Kinase; Rac Protein Kinase Alpha; RAC-Alpha; PKB-ALPHA; EC 2.7.11; AKT1m

### **Background**

Gene Name: AKT1 NCBI Gene Entry: 207 UniProt Entry: P31749

## **Application Information**

Molecular Weight: Predicted, 56 kDa; observed, 56 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 24GB5460

Species Reactivity: Human, mouse, rat

Applications Tested: Western blotting (WB), flow cytometry (FCM), immunocytochemistry (IC)

### **Immunogen**

A synthesized peptide derived from human AKT1

## **Isotype**

Rabbit IgG

### **Storage Buffer**

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

### **Storage**

Store at -20 °C for one year.

#### **Recommended Dilutions**


Western Blotting (WB): 1:1,000-1:5,000

Flow Cytometry (FCM): 1:2,000

Immunocytochemistry (IC): 1:100-1:1,000


**Note:** This product is for research use only.

#### **Validation Data**




Copyright @2024 Genuin Biotechnologies LLC

Flow cytometric analysis of AKT1 expression in HAP-1 cells using anti-AKT1 antibody (Cat#3392, 1:2,000). Green, isotype control; red, AKT1.



Immunocytochemical staining of HAP1 cells with anti-AKT1 antibody (Cat#3392, 1:1,000) . Nuclei were stained blue with DAPI; AKT1 was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: Medium. Scale bar,  $20~\mu m$ .

# **Anti-AKT Serine/Threonine Kinase 1 Rabbit Monoclonal Antibody**



Western blotting analysis using anti-AKT1 antibody (Cat#3392). Total cell lysates (30 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-AKT1 antibody (Cat#3392, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using NaQ<sup>TM</sup> ECL Substrate Kit (Cat#716).