

Catalog #: 3581

Aliases

TRIP13; Thyroid Hormone Receptor Interactor 13; 16E1BP; Human Papillomavirus Type 16 E1 Protein-Binding Protein; Thyroid Receptor-Interacting Protein 13; Pachytene Checkpoint Protein 2 Homolog; TR-Interacting Protein 13; 16E1-BP; TRIP-13; Thyroid Receptor Interacting Protein 13; HPV16 E1 Protein Binding Protein; HPV16 E1 Protein-Binding Protein; SH3TC1/TRIP13 Fusion; OZEMA9; OOMD9; MVA3; PCH2

Background

Gene Name: TRIP13

NCBI Gene Entry: [9319](#)

UniProt Entry: [Q15645](#)

Application Information

Molecular Weight: Predicted, 49 kDa; observed, 46 kDa

Clonality: Mouse monoclonal antibody

Clone ID: 24GB6625

Species Reactivity: Human, mouse, rat

Applications Tested: Western blotting (WB), flow cytometry (FCM), immunocytochemistry (IC)

Immunogen

Recombinant protein of human TRIP13

Isotype

Mouse IgG1

Storage Buffer

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

Storage

Store at -20 °C for one year.

Recommended Dilutions

Western Blotting (WB): 1:2,500-1:5,000

Flow Cytometry (FCM): 1:2,000

Immunocytochemistry (IC): 1:100-1:1,000

SUPPORT

SUPPORT@GENUINBIOTECH.COM
TEL: +1-540-855-7041


ORDERS

SALES@GENUINBIOTECH.COM
FAX: +1-540-855-7041

WWW.GENUINBIOTECH.COM

Note: This product is for research use only.


Validation Data



Copyright ©2025 Genuin Biotechnologies LLC

Thyroid hormone receptor interactor 13-Alexa Fluor® 647

Flow cytometric analysis of Thyroid hormone receptor interactor 13 expression in HAP-1 cells using anti-Thyroid hormone receptor interactor 13 antibody (Cat#3581, 1:2,000). Green, isotype control; red, Thyroid hormone receptor interactor 13.



Copyright ©2025 Genuin Biotechnologies LLC

Immunocytochemical staining of HAP-1 cells with Thyroid hormone receptor interactor 13 antibody (Cat#3581, 1:1,000). Nuclei were stained blue with DAPI; Thyroid hormone receptor

SUPPORT


SUPPORT@GENUINBIOTECH.COM
TEL: +1-540-855-7041

ORDERS

SALES@GENUINBIOTECH.COM
FAX: +1-540-855-7041

WWW.GENUINBIOTECH.COM

interactor 13 was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: Medium. Scale bar, 20 µm.



Western blotting analysis using anti-thyroid hormone receptor interactor 13 antibody (Cat#3581). Total cell lysates (30 µg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-thyroid hormone receptor interactor 13 antibody (Cat#3581, 1:5,000) and HRP-conjugated goat anti-mouse secondary antibody (Cat#101, 1:20,000) respectively. Image was developed using FeQ™ ECL Substrate Kit (Cat#226).