

Catalog #: 3736

Aliases

CTNNB1; Catenin Beta 1; Beta-Catenin; Armadillo; CTNNB; Catenin (Cadherin-Associated Protein), Beta 1, 88kDa; Catenin Beta-1; Catenin (Cadherin-Associated Protein), Beta 1 (88kD); Catenin (Cadherin-Associated Protein), Beta 1; NEDSDV; MRD19; EVR7

Background

Gene Name: CTNNB1 NCBI Gene Entry: 1499 UniProt Entry: P35222

Application Information

Molecular Weight: Predicted, 85 kDa; observed, 98 kDa

Clonality: Mouse monoclonal antibody

Clone ID: 24GB7135

Species Reactivity: Human, mouse, rat

Applications Tested: Western blotting (WB), flow cytometry (FCM), immunocytochemistry (IC),

immunohistochemistry (IHC)

Immunogen

A synthesized peptide derived from human Beta-catenin

Isotype

Mouse IgG1

Storage Buffer

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

Storage

Store at -20 °C for one year.

Recommended Dilutions


Western Blotting (WB): 1:2,500-1:5,000

Flow Cytometry (FCM): 1:2,000

Immunocytochemistry (IC): 1:100-1:1,000 Immunohistochemistry (IHC): 1:50-1:100


Note: This product is for research use only.

Validation Data




Catenin beta 1-Alexa Fluor® 647

Flow cytometric analysis of Catenin beta 1 expression in HAP-1 cells using anti-Catenin beta 1 antibody (Cat#3736, 1:2,000). Green, isotype control; red, Catenin beta 1.




Immunocytochemical staining of HAP-1 cells with anti-Catenin beta 1 antibody (Cat#3736, 1:1,000). Nuclei were stained blue with DAPI; Catenin beta 1 was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and Smart Gain Medium. Scale bar, 20 μm.



Western blotting analysis using anti-catenin beta 1 antibody (Cat#3736). Total cell lysates (30 µg)

from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-catenin beta 1 antibody (Cat#3736, 1:5,000) and HRP-conjugated goat anti-mouse secondary antibody (Cat#101, 1:20,000) respectively. Image was developed using NaQTM ECL Substrate Kit (Cat#716).



Copyright ©2025 Genuin Biotechnologies LLC

Immunohistochemistry was performed on paraffin-embedded human sigmoid colon carcinoma using anti-glial fibrillary acidic protein antibody (Cat#3736, 1:100). Antigen retrieval was done in sodium citrate buffer (pH 6.0). DAB was used for detection, with hematoxylin counterstaining. Images were acquired using a Nikon Ci-L Plus microscope (40× objective). Scale bar: 25 μm.