Anti-HDAC4 Recombinant Rabbit Monoclonal Antibody



Catalog #: 4248

Aliases

Histone Deacetylase 4; HD4; KIAA0288; HDAC-A; HA6116; HDAC-4; HDACA; EC 3.5.1.98; BDMR; Brachydactyly-Mental Retardation Syndrome; Histone Deacetylase A; NEDCHID; NEDCHF; AHO3

Background

Gene Name: HDAC4 NCBI Gene Entry: 9759 UniProt Entry: P56524

Application Information

Molecular Weight: Predicted, 120 kDa; observed, 140 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 24GB10270 Species Reactivity: Human

Applications Tested: Western blotting (WB), flow cytometry (FCM), immunocytochemistry (IC)

Immunogen

A synthesized peptide derived from human HDAC4

Isotype

Rabbit IgG

Storage Buffer

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

Storage

Store at -20 °C for one year.

Recommended Dilutions

Western Blotting (WB): 1:1,000-1:5,000


Flow Cytometry (FCM): 1:2,000

Immunocytochemistry (IC): 1:100-1:1,000


Note: This product is for research use only.

Anti-HDAC4 Recombinant Rabbit Monoclonal Antibody

Validation Data




Flow cytometric analysis of HDAC4 expression in HepG2 cells using anti-HDAC4 antibody (Cat#4248, 1:2,000). Green, isotype control; red, HDAC4.



Anti-HDAC4 Recombinant Rabbit Monoclonal Antibody

Immunocytochemical staining of HepG2 cells with anti-HDAC4 antibody(Cat#4248, 1:1,000). Nuclei were stained blue with DAPI; HDAC4 was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5.

Protein abundance based on laser Intensity and smart gain: Medium. Scale bar, 20 µm.



Western blotting analysis using anti-HDAC4 antibody (Cat#4248). Total cell lysates (30 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-HDAC4 antibody (Cat#4248, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using NaQTM ECL Substrate Kit (Cat#716).