Anti-CDT1 Recombinant Rabbit Monoclonal Antibody



Catalog #: 4342

Aliases

CDT1; Chromatin Licensing And DNA Replication Factor 1; DUP; RIS2; DNA Replication Factor Cdt1; Double Parked, Drosophila, Homolog Of; Double Parked Homolog

Background

Gene Name: CDT1

NCBI Gene Entry: 81620 UniProt Entry: Q9H211

Application Information

Molecular Weight: Predicted, 60 kDa; observed, 60 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 24GB10740 Species Reactivity: Human

Applications Tested: Western blotting (WB), flow cytometry (FCM), immunocytochemistry (IC)

Immunogen

A synthesized peptide derived from human CDT1

Isotype

Rabbit IgG

Storage Buffer

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

Storage

Store at -20 °C for one year.

Recommended Dilutions

Western Blotting (WB): 1:1,000-1:5,000

Flow Cytometry (FCM): 1:2,000


Immunocytochemistry (IC): 1:100-1:1,000

Note: This product is for research use only.


Validation Data

TEL: +1-540-855-7041






Flow cytometric analysis of CDT1 expression in HepG2 cells using anti-CDT1 antibody (Cat#4342, 1:2,000). Green, isotype control; red, CDT1.



Immunocytochemical staining of HepG2 cells with anti-CDT1 antibody (Cat#4342, 1:1,000). Nuclei were stained blue with anti-DAPI; CDT1 was stained magenta with Alexa Fluor® 647.

Anti-CDT1 Recombinant Rabbit Monoclonal Antibody

Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: Medium. Scale bar, $20 \mu m$.



Western blotting analysis using anti-CDT1 antibody (Cat#4342). Total cell lysates (30 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-CDT1 antibody (Cat#4342, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using NaQTM ECL Substrate Kit (Cat#716).