#### **Anti-Protein arginine methyltransferase 7 Recombinant Rabbit Monoclonal Antibody**



## **Catalog #: 4417**

#### **Aliases**

PRMT7; Protein Arginine Methyltransferase 7; KIAA1933; [Myelin Basic Protein]-Arginine N-Methyltransferase PRMT7; Histone-Arginine N-Methyltransferase PRMT7; Protein Arginine N-Methyltransferase 7; FLJ10640; EC 2.1.1.321; EC 2.1.1 48; SBIDDS

# **Background**

Gene Name: PRMT7 NCBI Gene Entry: 54496 UniProt Entry: Q9NVM4

## **Application Information**

Molecular Weight: Predicted, 78 kDa; observed, 75 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 24GB11115

Species Reactivity: Human, mouse, rat

Applications Tested: Western blotting (WB), flow cytometry (FCM), immunocytochemistry (IC)

## **Immunogen**

A synthesized peptide derived from human PRMT7

## **Isotype**

Rabbit IgG

# **Storage Buffer**

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

# **Storage**

Store at -20 °C for one year.

#### **Recommended Dilutions**


Western Blotting (WB): 1:1,000-1:5,000

Flow Cytometry (FCM): 1:2,000


Immunocytochemistry (IC): 1:100-1:1,000

**Note:** This product is for research use only.

#### **Validation Data**




Flow cytometric analysis of protein arginine methyltransferase 7 expression in HepG2 cells using anti-protein arginine methyltransferase 7 antibody (Cat#4417, 1:2,000). Green, isotype control; red, protein arginine methyltransferase 7.



# **Anti-Protein arginine methyltransferase 7 Recombinant Rabbit Monoclonal Antibody**

Immunocytochemical staining of HepG2 cells with anti-Protein arginine methyltransferase 7 antibody (Cat#4417, 1:1,000). Nuclei were stained blue with DAPI; Protein arginine methyltransferase 7 was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: Medium. Scale bar, 20 μm.



Western blotting analysis using anti-protein arginine methyltransferase 7 antibody (Cat#4417). Total cell lysates (30 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-protein arginine methyltransferase 7 antibody (Cat#4417, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using NaQ<sup>TM</sup> ECL Substrate Kit (Cat#716).