

Anti-SFPQ Recombinant Rabbit Monoclonal Antibody



Catalog #: 4471

Aliases

Splicing Factor Proline And Glutamine Rich; PSF; PPP1R140; Polypyrimidine Tract Binding Protein Associated; Protein Phosphatase 1, Regulatory Subunit 140; DNA-Binding P52/P100 Complex, 100 KDa Subunit; Splicing Factor, Proline- And Glutamine-Rich; Splicing Factor Proline/Glutamine-Rich; 100 KDa DNA-Pairing Protein; Splicing Factor Proline/Glutamine Rich (Polypyrimidine Tract-Binding Protein-Associated); Splicing Factor Proline/Glutamine Rich (Polypyrimidine Tract Binding Protein Associated); Polypyrimidine Tract-Binding Protein-Associated Splicing Factor; Polypyrimidine Tract-Binding Protein-Associated-Splicing Factor; Epididymis Secretory Sperm Binding Protein; PTB-Associated Splicing Factor; PTB-Associated-Splicing Factor; HPOMp100; POMP100

Background

Gene Name: SFPQ

NCBI Gene Entry: [6421](#)

UniProt Entry: [P23246](#)

Application Information

Molecular Weight: Predicted, 76 kDa; observed, 100 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 24GB11385

Species Reactivity: Human, mouse, rat

Applications Tested: Western blotting (WB), flow cytometry (FCM), immunocytochemistry (IC)

Immunogen

A synthesized peptide derived from human SFPQ

Isotype

Rabbit IgG

Storage Buffer

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

Storage

Store at -20 °C for one year.

Recommended Dilutions

SUPPORT

SUPPORT@GENUINBIOTECH.COM
TEL: +1-540-855-7041

ORDERS

SALES@GENUINBIOTECH.COM
FAX:+1-540-855-7041

WWW.GENUINBIOTECH.COM

Anti-SFPQ Recombinant Rabbit Monoclonal Antibody


Western Blotting (WB): 1:1,000-1:5,000

Flow Cytometry (FCM): 1:2,000

Immunocytochemistry (IC): 1:100-1:1,000

Note: This product is for research use only.

Validation Data



Copyright ©2024 Genuin Biotechnologies LLC

Flow cytometric analysis of SFPQ expression in HepG2 cells using anti-SFPQ antibody (Cat#4471, 1:2,000). Green, isotype control; red, SFPQ.


SUPPORT

SUPPORT@GENUINBIOTECH.COM
TEL: +1-540-855-7041


ORDERS

SALES@GENUINBIOTECH.COM
FAX: +1-540-855-7041

WWW.GENUINBIOTECH.COM



Immunocytochemical staining of HepG2 cells with anti-SFPQ antibody (Cat#4471, 1:1,000). Nuclei were stained blue with DAPI; SFPQ was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: High. Scale bar, 20 μ m.



Western blotting analysis using anti-SFPQ antibody (Cat#4471). Total cell lysates (20 μ g) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-SFPQ antibody (Cat#4471, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using NaQ™ ECL Substrate Kit (Cat#716).