

**Catalog #: 4624** 

#### **Aliases**

HSF1; Heat Shock Transcription Factor 1; HSTF1; Heat Shock Factor Protein 1; HSTF; HSF

### **Background**

Gene Name: HSF1 NCBI Gene Entry: 3297 UniProt Entry: Q00613

## **Application Information**

Molecular Weight: Predicted, 57 kDa; observed, 80 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 24GB12130 Species Reactivity: Human

Applications Tested: Western blotting (WB), flow cytometry (FCM), immunocytochemistry (IC)

### **Immunogen**

A synthesized peptide derived from human HSF1

### **Isotype**

Rabbit IgG

### **Storage Buffer**

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

#### **Storage**

Store at -20 °C for one year.

#### **Recommended Dilutions**


Western Blotting (WB): 1:1,000-1:5,000

Flow Cytometry (FCM): 1:2,000

Immunocytochemistry (IC): 1:100-1:1,000

**Note:** This product is for research use only.


#### Validation Data




Copyright ©2024 Genuin Biotechnologies LL

### Heat shock transcription factor 1-Alexa Fluor® 647


Flow cytometric analysis of heat shock transcription factor 1 expression in HepG2 cells using antiheat shock transcription factor 1 antibody (Cat#4624, 1:2,000). Green, isotype control; red, heat shock transcription factor 1.



Immunocytochemical staining of HepG2 cells with anti-Heat shock transcription factor 1 antibody (Cat#4624, 1:1,000). Nuclei were stained blue with DAPI; Heat shock transcription factor 1 was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: Medium. Scale bar, 20 μm.



Western blotting analysis using anti-heat shock transcription factor 1 antibody (Cat#4624). Total cell lysates (30 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-heat shock transcription factor 1 antibody (Cat#4624, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using NaQ<sup>TM</sup> ECL Substrate Kit (Cat#716).



Convriaht @2025 Genuin Biotechnologies

Immunohistochemistry was performed on paraffin-embedded human ovarian carcinoma using anti-heat shock transcription factor 1 antibody (Cat#4624, 1:200). Antigen retrieval was done in sodium citrate buffer (pH 6.0). DAB was used for detection, with hematoxylin counterstaining. Images were acquired using a Nikon Ci-L Plus microscope (40× objective). Scale bar: 25 μm.