Anti-Nicastrin Rabbit Monoclonal Antibody



Catalog #: 4728

Aliases

Nicastrin; ATAG1874; Anterior Pharynx-Defective 2; KIAA0253

Background

Gene Name: NCSTN NCBI Gene Entry: 23385 UniProt Entry: Q92542

Application Information

Molecular Weight: Predicted, 78 kDa; observed, 100-140 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 24GB12650

Species Reactivity: Human, rat

Applications Tested: Western blotting (WB), flow cytometry (FCM), immunocytochemistry (IC)

Immunogen

A synthesized peptide derived from human Nicastrin

Isotype

Rabbit IgG

Storage Buffer

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

Storage

Store at -20 °C for one year.

Recommended Dilutions

Western Blotting (WB): 1:1,000-1:5,000


Flow Cytometry (FCM): 1:2,000

Immunocytochemistry (IC): 1:100-1:1,000


Note: This product is for research use only.

Validation Data

TEL: +1-540-855-7041




Flow cytometric analysis of Nicastrin expression in HepG2 cells using anti-Nicastrin antibody (Cat#4728, 1:2,000). Green, isotype control; red, Nicastrin.



Immunocytochemical staining of HepG2 cells with anti-Nicastrin antibody (Cat#4728, 1:1,000). Nuclei were stained blue with DAPI; Nicastrin was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart

gain: Medium. Scale bar, 20 µm.



Western blotting analysis using anti-nicastrin antibody (Cat#4728). Total cell lysates (30 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-nicastrin antibody (Cat#4728, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using NaQTM ECL Substrate Kit (Cat#716).