Anti-Pyruvate Dehydrogenase E2 Rabbit Monoclonal Antibody



Catalog #: 4767

Aliases

DLAT; Dihydrolipoamide S-Acetyltransferase; PBC;DLTA; PDC-E2; PDCE2; M2 Antigen Complex 70 KDa Subunit; E2 Component Of Pyruvate Dehydrogenase Complex; EC 2.3.1.12; Dihydrolipoamide Acetyltransferase Component Of Pyruvate Dehydrogenase Complex; Dihydrolipoyllysine-Residue Acetyltransferase Component Of Pyruvate Dehydrogenase Complex Mitochondrial; Pyruvate Dehydrogenase Complex Component E2; 70 KDa Mitochondrial Autoantigen Of Primary Biliary Cirrhosis; EC 2.3.1

Background

Gene Name: DLAT

NCBI Gene Entry: 1737 UniProt Entry: P10515

Application Information

Molecular Weight: Predicted, 69 kDa; observed, 69 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 24GB12840

Species Reactivity: Human, mouse, rat

Applications Tested: Western blotting (WB), flow cytometry (FCM), immunocytochemistry (IC)

Immunogen

A synthesized peptide derived from human Pyruvate Dehydrogenase E2

Isotype

Rabbit IgG

Storage Buffer

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

Storage

Store at -20 °C for one year.

Recommended Dilutions

Western Blotting (WB): 1:1,000-1:5,000


Flow Cytometry (FCM): 1:2,000

Immunocytochemistry (IC): 1:100-1:1,000

Anti-Pyruvate Dehydrogenase E2 Rabbit Monoclonal Antibody


Note: This product is for research use only.

Validation Data




Pyruvate Dehydrogenase E2 -Alexa Fluor® 647

Flow cytometric analysis of Pyruvate Dehydrogenase E2 expression in HepG2 cells using anti-Pyruvate Dehydrogenase E2 antibody (Cat#4767, 1:2,000). Green, isotype control; red, Pyruvate Dehydrogenase E2.



Anti-Pyruvate Dehydrogenase E2 Rabbit Monoclonal Antibody

Immunocytochemical staining of HepG2 cells with anti-Pyruvate Dehydrogenase E2 antibody (Cat#4767, 1:1,000). Nuclei were stained blue with DAPI; Pyruvate Dehydrogenase E2 was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: Low. Scale bar, 20 μm.



Western blotting analysis using anti-pyruvate dehydrogenase E2 antibody (Cat#4767). Total cell lysates (30 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-pyruvate dehydrogenase E2 antibody (Cat#4767, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using NaQTM ECL Substrate Kit (Cat#716).