

Catalog #: 50097

Aliases

CD23A; CLEC4J; FCE2; IGEBF; Low affinity immunoglobulin epsilon Fc receptor; BLAST-2; C-type lectin domain family 4 member J; Fc-epsilon-RII; Immunoglobulin E-binding factor; Lymphocyte IgE receptor; CD23

Background

Gene Name: FCER2

NCBI Gene Entry: [2208](#)

UniProt Entry: [P06734](#)

Application Information

Molecular Weight: Predicted, 36 kDa; observed, 50 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 24GB8375

Species Reactivity: Human

Applications Tested: Western blotting (WB), immunohistochemistry (IHC)

Immunogen

Recombinant protein of human CD23

Isotype

Rabbit IgG

Storage Buffer

Supplied in PBS (pH 7.3) containing 50% glycerol, and 0.05% Proclin300.

Storage

Store at -20 °C for one year.

Recommended Dilutions

Western Blotting (WB): 1:500-1:1,000

Immunohistochemistry (IHC): 1:100-1:200

Note: This product is for research use only.

Validation Data


SUPPORT

SUPPORT@GENUINBIOTECH.COM
TEL: +1-540-855-7041


ORDERS

SALES@GENUINBIOTECH.COM
FAX: +1-540-855-7041

WWW.GENUINBIOTECH.COM



Immunohistochemical analysis of CD23 staining in human liver cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



Western blotting analysis of CD23 expression in HEK293T (A), SGC7901 (B) whole cell lysates.