Anti-Focal Adhesion Kinase Rabbit Polyclonal Antibody



Catalog #: 50596

Aliases

FAK; FAK1; Focal adhesion kinase 1; FADK 1; Focal adhesion kinase-related nonkinase; FRNK; Protein phosphatase 1 regulatory subunit 71; PPP1R71; Protein-tyrosine kinase 2; p125FAK; pp125FAK

Background

Gene Name: PTK2 NCBI Gene Entry: 5747 UniProt Entry: Q05397

Application Information

Molecular Weight: Predicted, 119,99,63,48,120,39,114 kDa; observed, 125 kDa

Clonality: Rabbit polyclonal antibody

Species Reactivity: Human, mouse, rat, chicken

Applications Tested: Western blotting (WB), immunohistochemistry (IHC)

Immunogen

A synthesized peptide derived from human Focal Adhesion Kinase

Isotype

Rabbit IgG

Storage Buffer

Supplied in PBS (pH 7.3) containing 30% glycerol, and 0.01% sodium azide.

Storage

Store at -20 °C for one year.


Recommended Dilutions

Western Blotting (WB): 1:500-1:1,000 Immunohistochemistry (IHC): 1:50-1:100

Note: This product is for research use only.


Validation Data

Anti-Focal Adhesion Kinase Rabbit Polyclonal Antibody



Western blotting analysis using anti-Focal Adhesion Kinase antibody (Cat#50596). Total lysates (30 μg) were loaded and separated by SDS-PAGE. The blot was incubated with anti-Focal Adhesion Kinase antibody (Cat#50596, 1:2,500) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using FeQTM ECL Substrate Kit (Cat#226).

Anti-Focal Adhesion Kinase Rabbit Polyclonal Antibody



Immunohistochemical analysis of Focal Adhesion Kinase staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

TEL: +1-540-855-7041