#### **Anti-ORAOV1 Rabbit Polyclonal Antibody**



**Catalog #: 50987** 

#### **Aliases**

TAOS1; Oral cancer-overexpressed protein 1; Tumor-amplified and overexpressed sequence 1

## **Background**

Gene Name: ORAOV1 NCBI Gene Entry: 220064 UniProt Entry: Q8WV07

# **Application Information**

Molecular Weight: Predicted, 15 kDa; observed, 15 kDa

Clonality: Rabbit polyclonal antibody

Species Reactivity: Human

Applications Tested: Western blotting (WB), immunohistochemistry (IHC), immunocytochemistry

(IC)

# **Immunogen**

A synthesized peptide derived from human ORAOV1

### **Isotype**

Rabbit IgG

# **Storage Buffer**

Supplied in PBS (pH 7.3) containing 30% glycerol, and 0.01% sodium azide.

### **Storage**


Store at -20 °C for one year.

### **Recommended Dilutions**


Western Blotting (WB): 1:500-1:1,000 Immunohistochemistry (IHC): 1:100-1:200 Immunocytochemistry (IC): 1:100-1:500

**Note:** This product is for research use only.

#### Validation Data




Immunocytochemical analysis of ORAOV1 staining in HeLa cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark. DAPI was used to stain the cell nuclei (blue).



Immunohistochemical analysis of ORAOV1 staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

# **Anti-ORAOV1 Rabbit Polyclonal Antibody**



Western blotting analysis of ORAOV1 expression in HeLa (A) whole cell lysates.