

Catalog #: 5153

Aliases

TACO1; Translational Activator Of Cytochrome C Oxidase I; CCDC44; Translational Activator Of Mitochondrially Encoded Cytochrome C Oxidase I; Translational Activator Of Cytochrome C Oxidase 1; Coiled-Coil Domain-Containing Protein 44; Translational Activator Of COX I; Translational Activator Of Mitochondrially-Encoded Cytochrome C Oxidase I; Coiled-Coil Domain Containing 44; Clone HQ0477 PRO0477p; MC4DN8

Background

Gene Name: TACO1

NCBI Gene Entry: [51204](#)

UniProt Entry: [Q9BSH4](#)

Application Information

Molecular Weight: Predicted, 32 kDa; observed, 30 kDa

Clonality: Mouse oligoclonal antibody

Species Reactivity: Human

Applications Tested: Western blotting (WB), flow cytometry (FCM)

Immunogen

Recombinant protein of human TACO1

Isotype

Mouse IgG

Storage Buffer

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

Storage

Store at -20 °C for one year.

Recommended Dilutions

Western Blotting (WB): 1:400-1:2,000

Flow Cytometry (FCM): 1:2,000

Note: This product is for research use only.

SUPPORT


SUPPORT@GENUINBIOTECH.COM
TEL: +1-540-855-7041

ORDERS


SALES@GENUINBIOTECH.COM
FAX: +1-540-855-7041

WWW.GENUINBIOTECH.COM

Validation Data



Flow cytometric analysis of TACO1 expression in HeLa cells using anti-TACO1 antibody (Cat#5153, 1:2,000) . Green, isotype control; red, TACO1.



Western blotting analysis using anti-TACO1 antibody (Cat#5153). Total cell lysates (30 μ g) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-TACO1 antibody (Cat#5153, 1:2,000) and HRP-conjugated goat anti-mouse secondary antibody (Cat#101, 1:20,000) respectively. Image was developed using NaQ™ ECL Substrate Kit (Cat#716).