#### **Anti-AKT Rabbit Polyclonal Antibody**



**Catalog #: 51627** 

#### **Aliases**

PKB; RAC; RAC-alpha serine/threonine-protein kinase; Protein kinase B; PKB; Protein kinase B alpha; PKB alpha; Proto-oncogene c-Akt; RAC-PK-alpha

## **Background**

Gene Name: AKT1/AKT2/AKT3 NCBI Gene Entry: 207/208/10000 UniProt Entry: P31749/P31751/Q9Y243

## **Application Information**

Molecular Weight: Predicted, 55 kDa; observed, 60 kDa

Clonality: Rabbit polyclonal antibody

Species Reactivity: Human, mouse, rat, bovine

Applications Tested: Western blotting (WB), immunohistochemistry (IHC)

## **Immunogen**

A synthesized peptide derived from human AKT

## **Isotype**

Rabbit IgG

# **Storage Buffer**

Supplied in PBS (pH 7.3) containing 30% glycerol, and 0.01% sodium azide.

### **Storage**


Store at -20 °C for one year.

#### **Recommended Dilutions**


Western Blotting (WB): 1:500-1:1,000 Immunohistochemistry (IHC): 1:100-1:200

**Note:** This product is for research use only.

#### Validation Data



Immunohistochemical analysis of AKT staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



Western blotting analysis of AKT expression in Hela (A), HGC27 (B) whole cell lysates.