# **Anti-Clathrin Heavy Chain Rabbit Monoclonal Antibody**



**Catalog #: 5373** 

#### **Aliases**

CLTC; Clathrin Heavy Chain; CLTCL; Hc; Clathrin Heavy Chain On Chromosome 17; Clathrin, Heavy Polypeptide-Like 2; Clathrin, Heavy Polypeptide (Hc); Clathrin Heavy Chain 1; CLH-17; Clathrin, Heavy Chain (Hc); Clathrin, Heavy Chain; KIAA0034; CHC17; MRD56; CLH17; CHC

### **Background**

Gene Name: CLTC NCBI Gene Entry: 1213 UniProt Entry: Q00610

## **Application Information**

Molecular Weight: Predicted, 192 kDa; observed, 192 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 25GB1195

Species Reactivity: Human, mouse, rat

Applications Tested: Western blotting (WB), flow cytometry (FCM), immunocytochemistry (IC)

### **Immunogen**

A synthesized peptide derived from human Clathrin heavy chain

## **Isotype**

Rabbit IgG

## **Storage Buffer**

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

## **Storage**

Store at -20 °C for one year.

### **Recommended Dilutions**

Western Blotting (WB): 1:1,000-1:5,000


Flow Cytometry (FCM): 1:2,000

Immunocytochemistry (IC): 1:100-1:1,000


**Note:** This product is for research use only.

# **Anti-Clathrin Heavy Chain Rabbit Monoclonal Antibody**

#### **Validation Data**




Flow cytometric analysis of Clathrin heavy chain expression in HepG2 cells using anti-Clathrin heavy chain antibody (Cat#5373, 1:2,000). Green, isotype control; red, Clathrin heavy chain.



# **Anti-Clathrin Heavy Chain Rabbit Monoclonal Antibody**

Immunocytochemical staining of HepG2 cells with anti-Clathrin heavy chain antibody (Cat#5373, 1:1,000). Nuclei were stained blue with DAPI; Clathrin heavy chain was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: Medium. Scale bar, 20 μm.



Western blotting analysis using anti-clathrin heavy chain antibody (Cat#5373). Total cell lysates (30 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-clathrin heavy chain antibody (Cat#5373, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using NaQ<sup>TM</sup> ECL Substrate Kit (Cat#716).