

Anti-WD Repeat Domain 77 Mouse Monoclonal antibody



Catalog #: 5768

Aliases

WDR77; WD Repeat Domain 77; MEP50; Methylosome Protein 50; P44; WD Repeat-Containing Protein 77; Androgen Receptor Cofactor P44; Methylosome Protein WDR77; P44/Mep50; MEP-50; Testis Tissue Sperm-Binding Protein Li 44a; Nbla10071; HKMT1069; WD45

Background

Gene Name: WDR77

NCBI Gene Entry: [79084](#)

UniProt Entry: [Q9BQA1](#)

Application Information

Molecular Weight: Predicted, 37 kDa; observed, 42 kDa

Clonality: Mouse monoclonal antibody

Clone ID: 25GB5290

Species Reactivity: Human

Applications Tested: Western blotting (WB)

Immunogen

Recombinant protein of human WDR77

Isotype

Mouse IgG1

Storage Buffer

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

Storage

Store at -20 °C for one year.

Recommended Dilutions

Western Blotting (WB): 1:500-1:2,500

Note: This product is for research use only.

Validation Data


SUPPORT

SUPPORT@GENUINBIOTECH.COM
TEL: +1-540-855-7041

ORDERS

SALES@GENUINBIOTECH.COM
FAX: +1-540-855-7041

WWW.GENUINBIOTECH.COM



Copyright ©2025 Genuin Biotechnologies LLC

Western blotting analysis using anti-WDR77 antibody (Cat#5768). Total cell lysates (30 μ g) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-WDR77 antibody (Cat#5768, 1:2,500) and HRP-conjugated goat anti-mouse secondary antibody (Cat#101, 1:20,000) respectively. Image was developed using NaQ™ ECL Substrate Kit (Cat#716).