

Catalog #: 61261

Aliases

TXNDC5; Thioredoxin Domain Containing 5; ERp46; EndoPDI; PDIA15; Hcc-2; Protein Disulfide Isomerase Family A, Member 15; Endoplasmic Reticulum Resident Protein 46; Thioredoxin Domain-Containing Protein 5; Thioredoxin-Like Protein P46; ER Protein 46; FLJ21353; FLJ90810; MGC3178; Thioredoxin Domain Containing 5 (Endoplasmic Reticulum); Epididymis Secretory Sperm Binding Protein; Endothelial Protein Disulphide Isomerase; Endoplasmic Reticulum Protein ERp46; Thioredoxin Related Protein; EC 1.8.4.-; EC 5.3.4.1; UNQ364; STRF8; TLP46; HCC2

Background

Gene Name: TXNDC5 NCBI Gene Entry: 81567 UniProt Entry: Q8NBS9

Application Information

Molecular Weight: Predicted, 48 kDa, observed, 48 kDa

Clonality: Mouse monoclonal antibody

Clone ID: 25GB515

Species Reactivity: Human

Applications Tested: Western blotting (WB), flow cytometry (FCM)

Immunogen

Recombinant protein of human TXNDC5

Isotype

Mouse IgG1

Storage Buffer

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

Storage

Store at -20 °C for one year.


Recommended Dilutions

Western Blotting (WB): 1:2,500-1:5,000


Flow Cytometry (FCM): 1:2,000

Note: This product is for research use only.


Validation Data



Flow cytometric analysis of Thioredoxin domain containing 5 expression in HT-1080 cells using anti-Thioredoxin domain containing 5 antibody (Cat# 61261, 1:2,000). Green, isotype control; red, Thioredoxin domain containing 5.



Western blotting analysis using anti-thioredoxin domain containing 5 antibody (Cat#61261). Total cell lysates (30 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-thioredoxin domain containing 5 antibody (Cat#61261, 1:5,000) and HRP-conjugated goat anti-mouse secondary antibody (Cat#101, 1:20,000) respectively. Image was developed using FeQTM ECL Substrate Kit (Cat#226).



Western blotting analysis using anti-thioredoxin domain containing 5 antibody (Cat#61261). Thioredoxin domain containing 5 expression in wild type (WT) and thioredoxin domain containing 5 (TXNDC5) knockdown (KD) HSHC cells with 30 μg of total cell lysates. Hsp90 α serves as a loading control. The blot was incubated with anti-thioredoxin domain containing 5 antibody (Cat#61261, 1:2,500) and HRP-conjugated goat anti-mouse secondary antibody (Cat#101, 1:20,000) respectively. Image was developed using FeQTM ECL Substrate Kit (Cat#226).