

**Catalog #: 61631** 

#### **Aliases**

ZBTB33; Zinc Finger And BTB Domain Containing 33; ZNF348; WUGSC:H\_DJ525N14.1; ZNF-Kaiso; Zinc Finger And BTB Domain-Containing Protein 33; Transcriptional Regulator Kaiso; Kaiso; Kaiso Transcription Factor; KAISO

### **Background**

Gene Name: ZBTB33 NCBI Gene Entry: 10009 UniProt Entry: Q86T24

### **Application Information**

Molecular Weight: Predicted, 74 kDa; observed, 74 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 25GB3080

Species Reactivity: Human, rat

Applications Tested: Western blotting (WB), flow cytometry (FCM), immunocytochemistry (IC)

#### **Immunogen**

A synthesized peptide derived from human KAISO

#### **Isotype**

Rabbit IgG

### **Storage Buffer**

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

### **Storage**

Store at -20 °C for one year.

#### **Recommended Dilutions**


Western blotting (WB): 1:1,000-1:5,000

Flow Cytometry (FCM): 1:2,000


Immunocytochemistry (IC): 1:100-1:1,000

**Note:** This product is for research use only.


#### **Validation Data**




Flow cytometric analysis of ZBTB33 expression in HepG2 cells using anti-ZBTB33 antibody (Cat#61631, 1:2,000). Green, isotype control; red, ZBTB33.



Immunocytochemical staining of ZBTB33 cells with ZBTB33 antibody (Cat#61631, 1:1,000). Nuclei were stained blue with DAPI; ZBTB33 was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: Medium. Scale bar, 20 μm.



Western blotting analysis using anti-ZBTB33 antibody (Cat#61631). Total cell lysates (30 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-ZBTB33 antibody (Cat#61631, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using NaQ<sup>TM</sup> ECL Substrate Kit (Cat#716).



Western blotting analysis using anti-ZBTB33 antibody (Cat#61631). ZBTB33 expression in wild-type (WT) and ZBTB33 knockdown (KD) 293T cells with 20 μg of total cell lysates. Hsp90 α serves as a loading control. The blot was incubated with anti-ZBTB33 antibody (Cat#61631, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using NaQ<sup>TM</sup> ECL Substrate Kit (Cat#716).