# **KD-Validated Anti-NEFM Mouse Monoclonal Antibody**



**Catalog #: 63480** 

#### **Aliases**

NEFM; Neurofilament Medium Chain; NF-M; NFM; NEF3; Neurofilament, Medium Polypeptide 150kDa; Neurofilament Medium Polypeptide; Neurofilament Triplet M Protein; 160 KDa Neurofilament Protein; Neurofilament 3; Neurofilament, Medium Polypeptide; Neurofilament-3 (150 KD Medium); Neurofilament Medium

### **Background**

Gene Name: NEFM NCBI Gene Entry: 4741 UniProt Entry: P07197

### **Application Information**

Molecular Weight: Predicted, 102 kDa, observed, 150 kDa

Clonality: Mouse monoclonal antibody

Clone ID: 24GB5825

Species Reactivity: Human

Applications Tested: Western blotting (WB), flow cytometry (FCM), immunocytochemistry (IC)

#### **Immunogen**

Recombinant protein of human NEFM

### **Isotype**

Mouse IgG1

### **Storage Buffer**

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

#### **Storage**

Store at -20 °C for one year.

#### **Recommended Dilutions**

Western Blotting (WB):1:2,500-1:5,000


Flow Cytometry (FCM): 1:2,000

Immunocytochemistry (IC): 1:100-1:1,000

## **KD-Validated Anti-NEFM Mouse Monoclonal Antibody**


**Note:** This product is for research use only.

#### **Validation Data**




Neurofilament medium chain-Alexa Fluor® 647

Flow cytometric analysis of Neurofilament medium chain expression in HeLa cells using anti-Neurofilament medium chain antibody (Cat#63480, 1:2,000). Green, isotype control; red, Neurofilament medium chain.




Immunocytochemical staining of HeLa cells with anti-Neurofilament medium chain antibody (Cat#63480, 1:1,000). Nuclei were stained blue with DAPI; Neurofilament medium chain was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and Smart Gain ☐ High. Scale bar, 20 μm.

## **KD-Validated Anti-NEFM Mouse Monoclonal Antibody**




Western blotting analysis using anti-neurofilament medium chain antibody (Cat#63480). Total cell lysates (30 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-neurofilament medium chain antibody (Cat#63480, 1:5,000) and HRP-conjugated goat anti-mouse secondary antibody (Cat#101, 1:20,000) respectively. Image was developed using FeQ<sup>TM</sup> ECL Substrate Kit (Cat#226).



Western blotting analysis using anti-neurofilament medium chain antibody (Cat#63480). Neurofilament medium chain expression in wild type (WT) and neurofilament medium chain

# **KD-Validated Anti-NEFM Mouse Monoclonal Antibody**

(NEFM) shRNA knockdown (KD) HeLa cells with 20 μg of total cell lysates. Hsp90 α serves as a loading control. The blot was incubated with anti-neurofilament medium chain antibody (Cat#63480, 1:5,000) and HRP-conjugated goat anti-mouse secondary antibody (Cat#101, 1:20,000) respectively. Image was developed using NaQ<sup>TM</sup> ECL Substrate Kit (Cat#716).



Immunocytochemical staining of HeLa cells using anti-Neurofilament medium chain antibody (Cat#63480, 1:1,000), Top panel: wild-type (WT); Bottom panal: Neurofilament medium chain shRNA knockdown (KD). Nuclei were stained blue with DAPI; Neurofilament medium chain was stained magenta with Alexa Fluor® 647. Scale bar, 20 μm.