

Catalog #: 64897

Aliases

HNRNPA1L2; Heterogeneous Nuclear Ribonucleoprotein A1 Like 2; Heterogeneous Nuclear Ribonucleoprotein A1-Like 2; HnRNP Core Protein A1-Like 2; HnRNP A1-Like 2; LOC144983; HNRNPA1L

Background

Gene Name: HNRNPA1L2 NCBI Gene Entry: 144983 UniProt Entry: Q32P51

Application Information

Molecular Weight: Predicted, 34 kDa; observed, 34 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 24GB13645

Species Reactivity: Human, mouse, rat

Applications Tested: Western blotting (WB), flow cytometry (FCM), immunocytochemistry (IC)

Immunogen

A synthesized peptide derived from human Heterogeneous Nuclear Ribonucleoprotein (A1-like)

Isotype

Rabbit IgG

Storage Buffer

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

Storage

Store at -20 °C for one year.

Recommended Dilutions


Western Blotting (WB): 1:1,000-1:5,000

Flow Cytometry (FCM): 1:2,000


Immunocytochemistry (IC): 1:100-1:1,000

Note: This product is for research use only.

Validation Data




Flow cytometric analysis of HNRNPA1L2 expression in HepG2 cells using anti-HNRNPA1L2 antibody (Cat#64897, 1:1,000). Green, isotype control; red, HNRNPA1L2.




Immunocytochemical staining of HepG2 cells with anti-HNRNPA1L2 antibody (Cat#64897,

TEL: +1-540-855-7041


1:1,000). Nuclei were stained blue with DAPI; HNRNPA1L2 was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: Medium. Scale bar, 20 µm.



Western blotting analysis using anti-HNRNPA1L2 antibody (Cat#64897). Total cell lysates (30 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-HNRNPA1L2 antibody (Cat#64897, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using FeQTM ECL Substrate Kit (Cat#226).



Western blotting analysis using anti-HNRNPA1L2 antibody (Cat#64897). HNRNPA1L2 expression in wild-type (WT) and HNRNPA1L2 shRNA knockdown (KD) HeLa cells with 20 μ g of total cell lysates. Hsp90 α serves as a loading control. The blot was incubated with anti-HNRNPA1L2 antibody (Cat#64897, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using NaQTM ECL Substrate Kit (Cat#716).



Validation of HNRNPA1L2 knockdown using flow cytometry. Wild-type(WT, Blue) and knockdown(KD, Green) HeLa cells were stained with anti-HNRNPA1L2 antibody (Cat#64897, 1:2,000) and analyzed using BD flow cytometer.