

### **Catalog #: 65673**

#### **Aliases**

CASP3; Caspase 3; Apoptain; CPP32; CPP32B; Caspase 3, Apoptosis-Related Cysteine Peptidase; Caspase 3, Apoptosis-Related Cysteine Protease; SREBP Cleavage Activity 1; Cysteine Protease CPP32; Protein Yama; EC 3.4.22.56; Caspase-3; CASP-3; CPP-32; SCA-1; Yama; PARP Cleavage Protease; Procaspase3; EC 3.4.22

# **Background**

Gene Name: CASP3 NCBI Gene Entry: 836 UniProt Entry: P42574

# **Application Information**

Molecular Weight: Predicted, 32 kDa, observed, 35 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 23GB720

Species Reactivity: Human, mouse, rat

Applications Tested: Western blotting (WB), immunohistochemistry (IHC), immunocytochemistry

(IC)

### Immunogen

A synthesized peptide derived from human active + pro Caspase 3

## **Isotype**

Rabbit IgG

## **Storage Buffer**

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

### **Storage**


Store at -20 °C for one year.

#### **Recommended Dilutions**


Western Blotting (WB): 1:1,000-1:5,000 Immunohistochemistry (IHC): 1:100-1:200 Immunocytochemistry (IC): 1:100-1:1,000

Note: This product is for research use only.

#### **Validation Data**




Immunocytochemical staining of C2C12 cells with anti-active + pro Caspase 3 antibody (Cat#65673, 1:1,000). Nuclei were stained blue with DAPI; active + pro Caspase 3 was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: Medium. Scale bar, 20 μm.




Copyright ©2025 Genuin Biotechnologie

Immunohistochemistry was performed on paraffin-embedded human tonsillitis using anti-active + pro caspase 3 antibody (Cat#65673, 1:200). Antigen retrieval was done in sodium citrate buffer (pH 6.0). DAB was used for detection, with hematoxylin counterstaining. Images were acquired using a Nikon Ci-L Plus microscope (40× objective). Scale bar: 25 µm.



Western blotting analysis using anti-pro Caspase 3 antibody (Cat#65673). Total cell lysates (30 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-pro Caspase 3 antibody (Cat#65673, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using FeQ<sup>TM</sup> ECL Substrate Kit (Cat#226).



Western blotting analysis using anti-pro Caspase 3 antibody (Cat#65673). pro Caspase 3 expression in wild type (WT) and pro Caspase 3 shRNA knockdown (KD) HeLa cells with 30  $\mu$ g of total cell lysates.  $\beta$ -Tubulin serves as a loading control. The blot was incubated with anti-pro Caspase 3 antibody (Cat#65673, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:50,000) respectively. Image was developed using FeQ<sup>TM</sup> ECL Substrate Kit (Cat#226).