

**Catalog #: 71224** 

#### **Aliases**

TP53; Tumor Protein P53; P53; LFS1; Cellular Tumor Antigen P53; Phosphoprotein P53; Antigen NY-CO-13; Transformation-Related Protein 53; Mutant Tumor Protein 53; Li-Fraumeni Syndrome; Tumor Suppressor P53; Tumor Supressor P53; Tumor Protein 53; BMFS5; TRP53; BCC7

## **Background**

Gene Name: TP53

NCBI Gene Entry: 7157 UniProt Entry: P04637

### **Application Information**

Molecular Weight: Predicted, 44 kDa; observed, 53 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 25GB3240

Species Reactivity: Human, mouse, rat

Applications Tested: Western blotting (WB), flow cytometry (FCM), immunocytochemistry (IC)

### **Immunogen**

A synthesized peptide derived from human p53 (acetyl K370)

### **Isotype**

Rabbit IgG

### **Storage Buffer**

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

#### **Storage**

Store at -20 °C for one year.

#### **Recommended Dilutions**


Western blotting (WB): 1:1,000-1:5,000

Flow Cytometry (FCM): 1:2,000

Immunocytochemistry (IC): 1:100-1:1,000


**Note:** This product is for research use only.

#### **Validation Data**




p53 (acetyl K370)-Alexa Fluor® 647

Flow cytometric analysis of p53 (acetyl K370) expression in HepG2 cells using anti-p53 (acetyl K370) antibody (Cat#71224, 1:2,000). Green, isotype control; red, p53 (acetyl K370).




Immunocytochemical staining of HepG2 cells with anti-p53 (acetyl K370) antibody (Cat#71224, 1:1,000). Nuclei were stained blue with DAPI; p53 (acetyl K370) was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity

and smart gain: Medium. Scale bar, 20 µm.



Western blotting analysis using anti-p53 (acetyl K370) antibody (Cat#71224). Total cell lysates (30 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-p53 (acetyl K370) antibody (Cat#71224, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using FeQ<sup>TM</sup> ECL Substrate Kit (Cat#226).



Western blotting analysis using anti-p53 (acetyl K370) antibody (Cat#71224). p53 (acetyl K370) expression in wild type (WT) and TP53 knockout (KO) HSHC cells with 20 μg of total cell lysates. Hsp90 α serves as a loading control. The blot was incubated with anti-p53 (acetyl K370) antibody (Cat#71224, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using NaQ<sup>TM</sup> ECL Substrate Kit (Cat#716).