

Catalog #: 71234

Aliases

EIF2AK2; Eukaryotic Translation Initiation Factor 2 Alpha Kinase 2; PKR; Protein Kinase R; PPP1R83; PRKR; Protein Kinase, Interferon-Inducible Double Stranded RNA Dependent; Interferon-Induced, Double-Stranded RNA-Activated Protein Kinase; Protein Phosphatase 1, Regulatory Subunit 83; Tyrosine-Protein Kinase EIF2AK2; Protein Kinase RNA-Activated; Protein Kinase RNA-Regulated; P1/EIF-2A Protein Kinase; EIF-2A Protein Kinase 2; P68 Kinase; Eukaryotic Translation Initiation Factor 2-Alpha Kinase 2; Interferon-Inducible RNA-Dependent Protein Kinase; Double Stranded RNA Activated Protein Kinase; Interferon-Inducible EIF2alpha Kinase; EC 2.7.11.1; EC 2.7.10.2; EIF2AK1; LEUDEN; DYT33

Background

Gene Name: EIF2AK2 NCBI Gene Entry: 5610 UniProt Entry: P19525

Application Information

Molecular Weight: Predicted, 62 kDa, observed, 68 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 25GB3455

Species Reactivity: Human

Applications Tested: Western blotting (WB), flow cytometry (FCM)

Immunogen

A synthesized peptide derived from human PKR

Isotype

Rabbit IgG

Storage Buffer

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

Storage

Store at -20 °C for one year.


Recommended Dilutions

Western blotting (WB): 1:1,000-1:5,000


Flow Cytometry (FCM): 1:2,000

Note: This product is for research use only.


Validation Data



Flow cytometric analysis of EIF2AK2 expression in HepG2 cells using anti-EIF2AK2 antibody (Cat#71234, 1:2,000). Green, isotype control; red,EIF2AK2.



Western blotting analysis using anti-EIF2AK2 antibody (Cat#71234). Total cell lysates (30 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-EIF2AK2 antibody (Cat#71234, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using NaQTM ECL Substrate Kit (Cat#716).



Western blotting analysis using anti-EIF2AK2 antibody (Cat#71234). EIF2AK2 expression in wild-type (WT) and EIF2AK2 knockout (KO) 293T cells with 20 μ g of total cell lysates. Hsp90 α serves as a loading control. The blot was incubated with anti-EIF2AK2 antibody (Cat#71234, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using NaQTM ECL Substrate Kit (Cat#716).