Anti-Daxx Rabbit Monoclonal Antibody



Catalog #: 8188

Aliases

Death-Domain Associated Protein; ETS1-Associated Protein 1; Death-Associated Protein 6; CENP-C Binding Protein; Fas Death Domain-Associated Protein; Death Domain-Associated Protein 6; BING2; Fas-Binding Protein; DAP6; Daxx; EAP1; hDaxx

Background

Gene Name: DAXX NCBI Gene Entry: 1616 UniProt Entry: Q9UER7

Application Information

Molecular Weight: Predicted, 81 kDa; observed, 110 kDa

Clonality: Rabbit monoclonal antibody

Clone ID: 23GB1090

Species Reactivity: Human, mouse, rat

Applications Tested: Western blotting (WB), flow cytometry (FCM), immunocytochemistry (IC)

Immunogen

A synthesized peptide derived from human Daxx

Isotype

Rabbit IgG

Storage Buffer

Supplied in PBS (pH 7.4) containing 50% glycerol, and 0.02% sodium azide.

Storage

Store at -20 °C for one year.

Recommended Dilutions


Western Blotting (WB): 1:1,000-1:5,000

Flow Cytometry (FCM): 1:2,000

Immunocytochemistry (IC): 1:100-1:1,000


Note: This product is for research use only.

Validation Data




Copyright @2024 Genuin Biotechnologies LLC

Flow cytometric analysis of Daxx expression in HepG2 cells using Daxx antibody (Cat#8188, 1:2,000). Green, isotype control; red, Daxx.



Immunocytochemical staining of HepG2 cells with Daxx antibody (Cat#8188, 1:1,000). Nuclei were stained blue with DAPI; Daxx was stained magenta with Alexa Fluor® 647. Images were taken using Leica stellaris 5. Protein abundance based on laser Intensity and smart gain: Medium. Scale bar: 20 μm.



Western blotting analysis using anti-Daxx antibody (Cat#8188). Total cell lysates (30 μg) from various cell lines were loaded and separated by SDS-PAGE. The blot was incubated with anti-Daxx antibody (Cat#8188, 1:5,000) and HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000) respectively. Image was developed using FeQTM ECL Substrate Kit (Cat#226).