# **Human GSK3A Knockdown Cell Line (WB-Validated)**



**Catalog #: C3741** 

#### **Aliases**

GSK3A; Glycogen Synthase Kinase 3 Alpha; Serine/Threonine-Protein Kinase GSK3A; Glycogen Synthase Kinase-3 Alpha; EC 2.7.11.26; GSK-3 Alpha; EC 2.7.11.1; EC 2.7.11

### **Background**

Gene Name: GSK3A NCBI Gene Entry: 2931

### **Storage**

Store at liquid nitrogen for 1 year.

## Kit Components

- 1. Human GSK3A Knockdown Cell Line (Wb-Validated)
- 2. Wild-type cell line

#### **Parental Cell Line**

Human cell line supplied by the client

#### Validation Methods

RT-qPCR, Western blotting (WB)

# **Shipping**

Shipped on Dry Ice.


### **Instructions For Use**

This knockdown cell line should be paired with wild-type cell line for use.

**Note:** This product is for research use only.


#### Validation Data

# **Human GSK3A Knockdown Cell Line (WB-Validated)**



Genotype	Ct Value
Wild-Type	21.36
Knock-Down	23.37
$\Delta$ Ct (Ct <sub>KD</sub> -Ct <sub>WT</sub> )	2.01
% mRNA Reduction	<b>↓</b> 75%

RT-qPCR analysis. HeLa cells were infected with GSK3A-specific shRNA lentiviral particles, total RNA was extracted from wild-type and knockdown cells, RT-qPCR was performed using gene-specific primers.  $\Delta$ Ct (CtKD-CtWT) was used to calculate mRNA reduction (%) between wild-type and knockdown cells using the following formula:  $(1-1/2\Delta$ Ct) x 100%.



Western blotting analysis. GSK3A protein expression in wild-type (WT) and shRNA knockdown

#### PAGE 3

# **Human GSK3A Knockdown Cell Line (WB-Validated)**

(KD) HeLa cells was detected using Western blotting. Hsp90  $\alpha$  served as a loading control. The blots were incubated with primary antibodies (Cat#67431, 1:2,500) against GSK3A and Hsp90  $\alpha$ , respectively, followed by incubating with HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000). Images were developed using FeQ<sup>TM</sup> ECL Substrate Kit (Cat#226).