Human SDCBP Knockdown Cell Line (WB-Validated)



Catalog #: C61201

Aliases

SDCBP; Syndecan Binding Protein; MDA-9; SYCL; Syntenin-1; Pro-TGF-Alpha Cytoplasmic Domain-Interacting Protein 18; Syndecan-Binding Protein 1; Scaffold Protein Pbp1; TACIP18; SDCBP1; MDA9; Melanoma Differentiation Associated Protein-9; Melanoma Differentiation-Associated Protein 9; Syndecan Binding Protein (Syntenin); Syntenin; ST1

Background

Gene Name: SDCBP NCBI Gene Entry: 6386

Storage

Store at liquid nitrogen for 1 year.

Kit Components

- 1. Human SDCBP Knockdown Cell Line (Wb-Validated)
- 2. Wild-type cell line

Parental Cell Line

Human cell line supplied by the client

Validation Methods

RT-qPCR, Western blotting (WB)

Shipping

Shipped on Dry Ice.


Instructions For Use

This knockdown cell line should be paired with wild-type cell line for use.

Note: This product is for research use only.

Validation Data

Human SDCBP Knockdown Cell Line (WB-Validated)




Genotype	Ct Value
Wild-Type	19.53 tg
Knock-Down	21.08
$\Delta Ct (Ct_{KD}-Ct_{WT})$	1.55
% mRNA Reduction	4 66%

RT-qPCR analysis. HeLa cells were infected with SDCBP-specific shRNA lentiviral particles, total RNA was extracted from wild-type and knockdown cells, RT-qPCR was performed using gene-specific primers. Δ Ct (CtKD-CtWT) was used to calculate mRNA reduction (%) between wild-type and knockdown cells using the following formula: $(1-1/2\Delta$ Ct) x 100%.

TEL: +1-540-855-7041

Human SDCBP Knockdown Cell Line (WB-Validated)



Western blotting analysis. SDCBP protein expression in wild-type (WT) and shRNA knockdown (KD) HeLa cells was detected using Western blotting. β-Tubulin served as a loading control. The blots were incubated with primary antibodies (Cat#61201, 1:5,000) against SDCBP and β-Tubulin, respectively, followed by incubating with HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000). Images were developed using FeQTM ECL Substrate Kit (Cat#226).