Human VCL Knockdown Cell Line (WB-Validated)



Catalog #: C61205

Aliases

VCL; Vinculin; Metavinculin; VINC; MV; Epididymis Secretory Sperm Binding Protein; Epididymis Luminal Protein 114; Meta-Vinculin; HEL114; CMD1W; CMH15; MVCL

Background

Gene Name: VCL

NCBI Gene Entry: 7414

Storage

Store at liquid nitrogen for 1 year.

Kit Components

- 1. Human VCL Knockdown Cell Line (Wb-Validated)
- 2. Wild-type cell line

Parental Cell Line

Human cell line supplied by the client

Validation Methods

RT-qPCR, Western blotting (WB)

Shipping

Shipped on Dry Ice.


Instructions For Use

This knockdown cell line should be paired with wild-type cell line for use.

Note: This product is for research use only.


Validation Data

Human VCL Knockdown Cell Line (WB-Validated)



| Genotype | Ct Value |
|-----------------|------------------|
| Wild-Type | 18.10 sign |
| Knock-Down | 21.10 |
| ΔCt (CtKD-CtWT) | 3.00 |
| % mRNA | yright (|
| Reduction | 88% [§] |

RT-qPCR analysis. HeLa cells were infected with VCL-specific shRNA lentiviral particles, total RNA was extracted from wild-type and knockdown cells, RT-qPCR was performed using genespecific primers. Δ Ct (CtKD-CtWT) was used to calculate mRNA reduction (%) between wild-type and knockdown cells using the following formula: $(1-1/2\Delta$ Ct) x 100%.



Western blotting analysis. VCL protein expression in wild-type (WT) and shRNA knockdown (KD) HeLa cells was detected using Western blotting. β -Tubulin served as a loading control. The blots were incubated with primary antibodies against VCL and β -Tubulin, respectively, followed

PAGE 3

Human VCL Knockdown Cell Line (WB-Validated)

by incubating with HRP-conjugated goat anti-rabbit secondary antibody. Images were developed using FeQ $^{\text{TM}}$ ECL Substrate Kit.

TEL: +1-540-855-7041