# **Human BRMS1 Knockdown Cell Line (WB-Validated)**



**Catalog #: C61332** 

#### **Aliases**

BRMS1; BRMS1 Transcriptional Repressor And Anoikis Regulator; Breast Cancer Metastasis Suppressor 1; Breast Cancer Metastasis-Suppressor 1; DKFZP564A063

## **Background**

Gene Name: BRMS1 NCBI Gene Entry: 25885

### **Storage**

Store at liquid nitrogen for 1 year.

## Kit Components

- 1. Human BRMS1 Knockdown Cell Line (Wb-Validated)
- 2. Wild-type cell line

#### **Parental Cell Line**

Human cell line supplied by the client

### Validation Methods

RT-qPCR, Western blotting (WB)

## **Shipping**

Shipped on Dry Ice.


### **Instructions For Use**

This knockdown cell line should be paired with wild-type cell line for use.

**Note:** This product is for research use only.

#### Validation Data

# **Human BRMS1 Knockdown Cell Line (WB-Validated)**




Genotype	Ct Value
Wild-Type	21.48
Knock-Down	24.09
$\Delta Ct (Ct_{KD}-Ct_{WT})$	2.61
% mRNA Reduction	<b>↓ 84</b> %

RT-qPCR analysis. HeLa cells were infected with BRMS1-specific shRNA lentiviral particles, total RNA was extracted from wild-type and knockdown cells, RT-qPCR was performed using gene-specific primers.  $\Delta$ Ct (CtKD-CtWT) was used to calculate mRNA reduction (%) between wild-type and knockdown cells using the following formula:  $(1-1/2\Delta$ Ct) x 100%.

TEL: +1-540-855-7041

# **Human BRMS1 Knockdown Cell Line (WB-Validated)**



Western blotting analysis. BRMS1 protein expression in wild-type (WT) and shRNA knockdown (KD) HeLa cells was detected using Western blotting.  $\beta$ -Tubulin served as a loading control. The blots were incubated with primary antibodies (Cat#61332, 1:5,000) against BRMS1 and  $\beta$ -Tubulin , respectively, followed by incubating with HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000). Images were developed using FeQ<sup>TM</sup> ECL Substrate Kit (Cat#226).