Human CD58 Knockdown Cell Line (WB-Validated)



Catalog #: C61333

Aliases

CD58; CD58 Molecule; LFA3; CD58 Antigen, (Lymphocyte Function-Associated Antigen 3); Lymphocyte Function-Associated Antigen 3; Surface Glycoprotein LFA-3; Ag3; CD58 Antigen; LFA-3

Background

Gene Name: CD58 NCBI Gene Entry: 965

Storage

Store at liquid nitrogen for 1 year.

Kit Components

- 1. Human CD58 Knockdown Cell Line (Wb-Validated)
- 2. Wild-type cell line

Parental Cell Line

Human cell line supplied by the client

Validation Methods

RT-qPCR, Western blotting (WB)

Shipping

Shipped on Dry Ice.


Instructions For Use

This knockdown cell line should be paired with wild-type cell line for use.

Note: This product is for research use only.


Validation Data

Human CD58 Knockdown Cell Line (WB-Validated)



Genotype	Ct Value
Wild-Type	23.25 gg
Knock-Down	24.66
Δ Ct (Ct _{KD} -Ct _{WT})	1.41 ©505
% mRNA Reduction	↓ 62%

RT-qPCR analysis. HeLa cells were infected with CD58-specific shRNA lentiviral particles, total RNA was extracted from wild-type and knockdown cells, RT-qPCR was performed using gene-specific primers. Δ Ct (CtKD-CtWT) was used to calculate mRNA reduction (%) between wild-type and knockdown cells using the following formula: $(1-1/2\Delta$ Ct) x 100%.



PAGE 3

Human CD58 Knockdown Cell Line (WB-Validated)

Western blotting analysis. CD58 protein expression in wild-type (WT) and shRNA knockdown (KD) HeLa cells was detected using Western blotting. Hsp90 α a served as a loading control. The blots were incubated with primary antibodies (Cat#61333, 1:5,000) against CD58 and Hsp90 α , respectively, followed by incubating with HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000). Images were developed using FeQTM ECL Substrate Kit (Cat#226).