# **Human CAV3 Knockdown Cell Line (WB-Validated)**



**Catalog #: C61345** 

#### **Aliases**

CAV3; Caveolin 3; M-Caveolin; VIP-21; LGMD1C; VIP21; LQT9; Caveolin-3; Cavolin 3; MPDT; RMD2

## **Background**

Gene Name: CAV3 NCBI Gene Entry: 859

## **Storage**

Store at liquid nitrogen for 1 year.

## **Kit Components**

- 1. Human CAV3 Knockdown Cell Line (Wb-Validated)
- 2. Wild-type cell line

### **Parental Cell Line**

Human cell line supplied by the client

### **Validation Methods**

RT-qPCR, Western blotting (WB)

# **Shipping**

Shipped on Dry Ice.


### **Instructions For Use**

This knockdown cell line should be paired with wild-type cell line for use.

**Note:** This product is for research use only.


#### **Validation Data**

# **Human CAV3 Knockdown Cell Line (WB-Validated)**



Genotype	Ct Value
Wild-Type	<b>24.41</b>
Knock-Down	<b>26.01</b>
$\Delta$ Ct (Ct <sub>KD</sub> -Ct <sub>WT</sub> )	1.6
% mRNA Reduction	<b>4</b> 67%

RT-qPCR analysis. HeLa cells were infected with CAV3-specific shRNA lentiviral particles, total RNA was extracted from wild-type and knockdown cells, RT-qPCR was performed using gene-specific primers.  $\Delta$ Ct (CtKD-CtWT) was used to calculate mRNA reduction (%) between wild-type and knockdown cells using the following formula:  $(1-1/2\Delta$ Ct) x 100%.



Western blotting analysis. CAV3 protein expression in wild-type (WT) and shRNA knockdown (KD) HeLa cells was detected using Western blotting.  $\beta$ -Tubulin  $\alpha$  served as a loading control. The blots were incubated with primary antibodies (Cat#61345, 1:5,000) against CAV3 and  $\beta$ -Tubulin ,

TEL: +1-540-855-7041

#### PAGE 3

# **Human CAV3 Knockdown Cell Line (WB-Validated)**

respectively, followed by incubating with HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000). Images were developed using FeQ<sup>TM</sup> ECL Substrate Kit (Cat#226).