# **Human ARF1 Knockdown Cell Line (WB-Validated)**



**Catalog #: C61380** 

#### **Aliases**

ARF1; ADP Ribosylation Factor 1; ADP-Ribosylation Factor 1; EC 3.6.5.2; PVNH8

# **Background**

Gene Name: ARF1 NCBI Gene Entry: 375

## **Storage**

Store at liquid nitrogen for 1 year.

## **Kit Components**

- 1. Human ARF1 Knockdown Cell Line (Wb-Validated)
- 2. Wild-type cell line

### **Parental Cell Line**

Human cell line supplied by the client

### **Validation Methods**

RT-qPCR, Western blotting (WB)

## **Shipping**

Shipped on Dry Ice.


## **Instructions For Use**

This knockdown cell line should be paired with wild-type cell line for use.

**Note:** This product is for research use only.


#### Validation Data

# **Human ARF1 Knockdown Cell Line (WB-Validated)**



Genotype	Ct Value
Wild-Type	19.32 gg
Knock-Down	21.10 <sup>6</sup> <sup>8</sup>
$\Delta$ Ct (Ct <sub>KD</sub> -Ct <sub>WT</sub> )	1.78 <sup>30</sup>
% mRNA Reduction	<b>J</b> 93%

RT-qPCR analysis. HeLa cells were infected with ARF1-specific shRNA lentiviral particles, total RNA was extracted from wild-type and knockdown cells, RT-qPCR was performed using gene-specific primers.  $\Delta$ Ct (CtKD-CtWT) was used to calculate mRNA reduction (%) between wild-type and knockdown cells using the following formula:  $(1-1/2\Delta$ Ct) x 100%.



Western blotting analysis. ARF1 protein expression in wild-type (WT) and shRNA knockdown (KD) HeLa cells was detected using Western blotting.  $\beta$ -Tubulin served as a loading control. The blots were incubated with primary antibodies (Cat#61380, 1:5,000) against ARF1 and  $\beta$ -Tubulin , respectively, followed by incubating with HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000). Images were developed using FeQ<sup>TM</sup> ECL Substrate Kit (Cat#226).

TEL: +1-540-855-7041

SUPPORT@GENUINBIOTECH.COM