Human NEK7 Knockdown Cell Line (WB-Validated)



Catalog #: C61493

Aliases

NIMA Related Kinase 7; NIMA (Never In Mitosis Gene A)-Related Kinase 7; Serine/Threonine-Protein Kinase Nek7; Never In Mitosis A-Related Kinase 7; NimA-Related Protein Kinase 7; EC 2.7.11.34; EC 2.7.11.1

Background

Gene Name: NEK7

NCBI Gene Entry: 140609

Storage

Store at liquid nitrogen for 1 year.

Kit Components

- 1. Human NEK7 Knockdown Cell Line (Wb-Validated)
- 2. Wild-type cell line

Parental Cell Line

Human cell line supplied by the client

Validation Methods

RT-qPCR, Western blotting (WB)

Shipping

Shipped on Dry Ice.


Instructions For Use

This knockdown cell line should be paired with wild-type cell line for use.

Note: This product is for research use only.

Validation Data

Human NEK7 Knockdown Cell Line (WB-Validated)




Genotype	Ct Value
Wild-Type	21.51
Knock-Down	22.57
$\Delta Ct (Ct_{KD}-Ct_{WT})$	1.06 %
% mRNA Reduction	↓ 52%

RT-qPCR analysis. HeLa cells were infected with NEK7-specific shRNA lentiviral particles, total RNA was extracted from wild-type and knockdown cells, RT-qPCR was performed using gene-specific primers. Δ Ct (CtKD-CtWT) was used to calculate mRNA reduction (%) between wild-type and knockdown cells using the following formula: $(1-1/2\Delta$ Ct) x 100%.

TEL: +1-540-855-7041

Human NEK7 Knockdown Cell Line (WB-Validated)



Western blotting analysis. NEK7 protein expression in wild-type (WT) and shRNA knockdown (KD) HeLa cells was detected using Western blotting. β -Tubulin served as a loading control. The blots were incubated with primary antibodies (Cat#61493, 1:5,000) against NEK7 and β -Tubulin , respectively, followed by incubating with HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000). Images were developed using FeQTM ECL Substrate Kit (Cat#226).