Human PRMT7 Knockdown Cell Line (WB-Validated)



Catalog #: C61505

Aliases

PRMT7; Protein Arginine Methyltransferase 7; KIAA1933; [Myelin Basic Protein]-Arginine N-Methyltransferase PRMT7; Histone-Arginine N-Methyltransferase PRMT7; Protein Arginine N-Methyltransferase 7; FLJ10640; EC 2.1.1.321; EC 2.1.1 48; SBIDDS

Background

Gene Name: PRMT7 NCBI Gene Entry: 54496

Storage

Store at liquid nitrogen for 1 year.

Kit Components

- 1. Human PRMT7 Knockdown Cell Line (Wb-Validated)
- 2. Wild-type cell line

Parental Cell Line

Human cell line supplied by the client

Validation Methods

RT-qPCR, Western blotting (WB)

Shipping

Shipped on Dry Ice.


Instructions For Use

This knockdown cell line should be paired with wild-type cell line for use.

Note: This product is for research use only.


Validation Data

Human PRMT7 Knockdown Cell Line (WB-Validated)



Genotype	Ct Value
Wild-Type	24.33
Knock-Down	31.34
Δ Ct (Ct _{KD} -Ct _{WT})	7.01
% mRNA Reduction	J 99%

RT-qPCR analysis. HeLa cells were infected with PRMT7-specific shRNA lentiviral particles, total RNA was extracted from wild-type and knockdown cells, RT-qPCR was performed using gene-specific primers. Δ Ct (CtKD-CtWT) was used to calculate mRNA reduction (%) between wild-type and knockdown cells using the following formula: $(1-1/2\Delta$ Ct) x 100%.



Western blotting analysis. PRMT7 protein expression in wild-type (WT) and shRNA knockdown (KD) HeLa cells was detected using Western blotting. β-Tubulin served as a loading control. The

PAGE 3

Human PRMT7 Knockdown Cell Line (WB-Validated)

blots were incubated with primary antibodies (Cat#61505, 1:5,000) against PRMT7 and β -Tubulin , respectively, followed by incubating with HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000). Images were developed using FeQTM ECL Substrate Kit (Cat#226).