Human WDR1 Knockdown Cell Line (WB-Validated)



Catalog #: C61844

Aliases

WDR1; WD Repeat Domain 1; AIP1; Actin-Interacting Protein 1; WD Repeat-Containing Protein 1; NORI-1; Epididymis Secretory Protein Li 52; HEL-S-52; PFITS

Background

Gene Name: WDR1 NCBI Gene Entry: 9948

Storage

Store at liquid nitrogen for 1 year.

Kit Components

- 1. Human WDR1 Knockdown Cell Line (Wb-Validated)
- 2. Wild-type cell line

Parental Cell Line

Human cell line supplied by the client

Validation Methods

RT-qPCR, Western blotting (WB)

Shipping

Shipped on Dry Ice.


Instructions For Use

This knockdown cell line should be paired with wild-type cell line for use.

Note: This product is for research use only.


Validation Data

Human WDR1 Knockdown Cell Line (WB-Validated)



Genotype	Ct Value
Wild-Type	21.64 salo
Knock-Down	25.25
∆Ct (CtKD-CtWT)	3.61
% mRNA	opyright (
Reduction	92% [්]

RT-qPCR analysis. HeLa cells were infected with WDR1-specific shRNA lentiviral particles, total RNA was extracted from wild-type and knockdown cells, RT-qPCR was performed using genespecific primers. Δ Ct (CtKD-CtWT) was used to calculate mRNA reduction (%) between wild-type and knockdown cells using the following formula: $(1-1/2\Delta$ Ct) x 100%.



Western blotting analysis. WDR1 protein expression in wild-type (WT) and shRNA knockdown (KD) HeLa cells was detected using Western blotting. β-Tubulin served as a loading control. The

PAGE 3

Human WDR1 Knockdown Cell Line (WB-Validated)

blots were incubated with primary antibodies against WDR1 and β -Tubulin, respectively, followed by incubating with HRP-conjugated goat anti-rabbit secondary antibody. Images were developed using FeQTM ECL Substrate Kit.

TEL: +1-540-855-7041