

Human ELOB Knockdown Cell Line (WB-Validated)



Catalog #: C62022

Aliases

ELOB; Elongin B; TCEB2; SIII; Transcription Elongation Factor B (SIII), Polypeptide 2 (18kDa, Elongin B); RNA Polymerase II Transcription Factor SIII Subunit B; Transcription Elongation Factor B Polypeptide; Transcription Elongation Factor B Subunit 2; Elongin 18 KDa Subunit; Elongin-B; SIII P18; RNA Polymerase II Transcription Factor SIII P18 Subunit; Epididymis Secretory Sperm Binding Protein; Elongin, 18-KD Subunit; EloB

Background

Gene Name: ELOB

NCBI Gene Entry: [6923](#)

Storage

Store at liquid nitrogen for 1 year.

Kit Components

1. Human ELOB Knockdown Cell Line (Wb-Validated)
2. Wild-type cell line

Parental Cell Line

Human cell line supplied by the client

Validation Methods

RT-qPCR, Western blotting (WB)

Shipping

Shipped on Dry Ice.

Instructions For Use

This knockdown cell line should be paired with wild-type cell line for use.

Note: This product is for research use only.

Validation Data

SUPPORT

SUPPORT@GENUINBIOTECH.COM
TEL: +1-540-855-7041


ORDERS

SALES@GENUINBIOTECH.COM
FAX: +1-540-855-7041

WWW.GENUINBIOTECH.COM


Human ELOB Knockdown Cell Line (WB-Validated)

PAGE 2



Genotype	Ct Value
Wild-Type	19.80
Knock-Down	22.02
Δ Ct (CtKD-CtWT)	2.22
% mRNA Reduction	79%

RT-qPCR analysis. HeLa cells were infected with ELOB-specific shRNA lentiviral particles, total RNA was extracted from wild-type and knockdown cells, RT-qPCR was performed using gene-specific primers. Δ Ct (CtKD-CtWT) was used to calculate mRNA reduction (%) between wild-type and knockdown cells using the following formula: $(1 - 1/2^{\Delta\text{Ct}}) \times 100\%$.



Western blotting analysis. ELOB protein expression in wild-type (WT) and shRNA knockdown (KD) HeLa cells was detected using Western blotting. β -Tubulin served as a loading control. The

SUPPORT

SUPPORT@GENUINBIOTECH.COM
TEL: +1-540-855-7041

ORDERS

SALES@GENUINBIOTECH.COM
FAX: +1-540-855-7041

WWW.GENUINBIOTECH.COM

Human ELOB Knockdown Cell Line (WB-Validated)

PAGE 3

blots were incubated with primary antibodies against ELOB and β -Tubulin, respectively, followed by incubating with HRP-conjugated goat anti-rabbit secondary antibody. Images were developed using FeQ™ ECL Substrate Kit.

SUPPORT

SUPPORT@GENUINBIOTECH.COM
TEL: +1-540-855-7041

ORDERS

SALES@GENUINBIOTECH.COM
FAX: +1-540-855-7041

WWW.GENUINBIOTECH.COM