

Human NCAPD2 Knockdown Cell Line (WB-Validated)



Catalog #: C62273

Aliases

NCAPD2; Non-SMC Condensin I Complex Subunit D2; HCAP-D2; CNAP1; KIAA0159; CAP-D2; Chromosome Condensation-Related SMC-Associated Protein 1; Chromosome-Associated Protein D2; Condensin Complex Subunit 1; XCAP-D2 Homolog; Chromosome Condensation Related SMC Associated Protein 1; Non-SMC Condensin I Complex, Subunit D2; MCPH21; CAPD2

Background

Gene Name: NCAPD2
NCBI Gene Entry: [9918](#)

Storage

Store at liquid nitrogen for 1 year.

Kit Components

1. Human NCAPD2 Knockdown Cell Line (Wb-Validated)
2. Wild-type cell line

Parental Cell Line

Human cell line supplied by the client

Validation Methods

RT-qPCR, Western blotting (WB)

Shipping

Shipped on Dry Ice.

Instructions For Use

This knockdown cell line should be paired with wild-type cell line for use.

Note: This product is for research use only.

Validation Data


SUPPORT

SUPPORT@GENUINBIOTECH.COM
TEL: +1-540-855-7041


ORDERS

SALES@GENUINBIOTECH.COM
FAX: +1-540-855-7041

WWW.GENUINBIOTECH.COM



RT-qPCR analysis. HeLa cells were infected with NCAPD2-specific shRNA lentiviral particles, total RNA was extracted from wild-type and knockdown cells, RT-qPCR was performed using gene-specific primers. $\Delta Ct (Ct_{KD} - Ct_{WT})$ was used to calculate mRNA reduction (%) between wild-type and knockdown cells using the following formula: $(1 - 1/2^{\Delta Ct}) \times 100\%$.



Western blotting analysis. NCAPD2 protein expression in wild-type (WT) and shRNA knockdown (KD) HeLa cells was detected using Western blotting. Hsp90 α served as a loading control. The blots were incubated with primary antibodies against NCAPD2 and Hsp90 α, respectively, followed by incubating with HRP-conjugated goat anti-rabbit secondary antibody. Images were developed using FeQ™ ECL Substrate Kit.