Human MBD1 Knockdown Cell Line (WB-Validated)



Catalog #: C62346

Aliases

MBD1; Methyl-CpG Binding Domain Protein 1; CXXC3; PCM1; Protein Containing Methyl-CpG-Binding Domain 1; Methyl-CpG-Binding Domain Protein 1; CXXC-Type Zinc Finger Protein 3; Protein Containing MBD 1; The Regulator Of Fibroblast Growth Factor 2 (FGF-2) Transcription; Methyl-CpG-Binding Protein MBD1; RFT

Background

Gene Name: MBD1 NCBI Gene Entry: 4152

Storage

Store at liquid nitrogen for 1 year.

Kit Components

- 1. Human MBD1 Knockdown Cell Line (Wb-Validated)
- 2. Wild-type cell line

Parental Cell Line

Human cell line supplied by the client

Validation Methods

RT-qPCR, Western blotting (WB)

Shipping


Shipped on Dry Ice.

Instructions For Use


This knockdown cell line should be paired with wild-type cell line for use.

Note: This product is for research use only.

Validation Data



RT-qPCR analysis. HeLa cells were infected with MBD1-specific shRNA lentiviral particles, total RNA was extracted from wild-type and knockdown cells, RT-qPCR was performed using gene-specific primers. Δ Ct (CtKD-CtWT) was used to calculate mRNA reduction (%) between wild-type and knockdown cells using the following formula: $(1-1/2\Delta$ Ct) x 100%.



Western blotting analysis. MBD1 protein expression in wild-type (WT) and shRNA knockdown (KD) HeLa cells was detected using Western blotting. β -Tubulin served as a loading control. The blots were incubated with primary antibodies against MBD1 and β -Tubulin, respectively, followed by incubating with HRP-conjugated goat anti-rabbit secondary antibody. Images were developed using FeQTM ECL Substrate Kit.