# **Human GNAQ Knockdown Cell Line (WB-Validated)**



## **Catalog #: C63616**

#### **Aliases**

GNAQ; G Protein Subunit Alpha Q; GAQ; G-ALPHA-Q; Guanine Nucleotide Binding Protein (G Protein), Q Polypeptide; Guanine Nucleotide-Binding Protein G(Q) Subunit Alpha; Guanine Nucleotide-Binding Protein Alpha-Q; Epididymis Secretory Sperm Binding Protein; CMAL; CMC1; SWS

## **Background**

Gene Name: GNAQ NCBI Gene Entry: 2776

### **Storage**

Store at liquid nitrogen for 1 year.

## **Kit Components**

- 1. Human GNAQ Knockdown Cell Line (Wb-Validated)
- 2. Wild-type cell line

### **Parental Cell Line**

Human cell line supplied by the client

### **Validation Methods**

RT-qPCR, Western blotting (WB)

### **Shipping**

Shipped on Dry Ice.


### **Instructions For Use**

This knockdown cell line should be paired with wild-type cell line for use.


**Note:** This product is for research use only.

#### Validation Data

# **Human GNAQ Knockdown Cell Line (WB-Validated)**



RT-qPCR analysis. HeLa cells were infected with GNAQ-specific shRNA lentiviral particles, total RNA was extracted from wild-type and knockdown cells, RT-qPCR was performed using gene-specific primers.  $\Delta$ Ct (CtKD-CtWT) was used to calculate mRNA reduction (%) between wild-type and knockdown cells using the following formula:  $(1-1/2\Delta$ Ct) x 100%.



Western blotting analysis. GNAQ protein expression in wild-type (WT) and shRNA knockdown

#### PAGE 3

# **Human GNAQ Knockdown Cell Line (WB-Validated)**

(KD) HeLa cells was detected using Western blotting.  $\beta$ -Tubulin served as a loading control. The blots were incubated with primary antibodies (Cat#63616, 1:5,000) against GNAQ and  $\beta$ -Tubulin , respectively, followed by incubating with HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000). Images were developed using FeQ<sup>TM</sup> ECL Substrate Kit (Cat#226).