

Human CRLF3 Knockdown Cell Line (WB-Validated)



Catalog #: C63834

Aliases

CRLF3; Cytokine Receptor Like Factor 3; CREME9; CYTOR4; Cytokine Receptor-Like Factor 3; Type I Cytokine Receptor-Like Factor P48; Cytokine Receptor-Related Protein 4; Cytokine Receptor-Like Molecule 9; CREME-9; CRLM9; P48.2; FRWS; P48

Background

Gene Name: CRLF3

NCBI Gene Entry: [51379](#)

Storage

Store at liquid nitrogen for 1 year.

Kit Components

1. Human CRLF3 Knockdown Cell Line (Wb-Validated)
2. Wild-type cell line

Parental Cell Line

Human cell line supplied by the client

Validation Methods

RT-qPCR, Western blotting (WB)

Shipping

Shipped on Dry Ice.

Instructions For Use

This knockdown cell line should be paired with wild-type cell line for use.

Note: This product is for research use only.

Validation Data


SUPPORT

SUPPORT@GENUINBIOTECH.COM
TEL: +1-540-855-7041

ORDERS

SALES@GENUINBIOTECH.COM
FAX: +1-540-855-7041


WWW.GENUINBIOTECH.COM



Genotype	Ct Value
Wild-Type	20.78
Knock-Down	22.23
$\Delta Ct (Ct_{KD} - Ct_{WT})$	1.45
% mRNA Reduction	↓63%

Copyright ©2025 Genuin Biotechnologies LLC

RT-qPCR analysis. HeLa cells were infected with CRLF3-specific shRNA lentiviral particles, total RNA was extracted from wild-type and knockdown cells, RT-qPCR was performed using gene-specific primers. $\Delta Ct (Ct_{KD} - Ct_{WT})$ was used to calculate mRNA reduction (%) between wild-type and knockdown cells using the following formula: $(1 - 1/2^{\Delta Ct}) \times 100\%$.



Copyright ©2024 Genuin Biotechnologies LLC

Western blotting analysis. CRLF3 protein expression in wild-type (WT) and shRNA knockdown (KD) HeLa cells was detected using Western blotting. Hsp90 α served as a loading control. The blots were incubated with primary antibodies against CRLF3 and Hsp90 α , respectively, followed by incubating with HRP-conjugated goat anti-mouse secondary antibody. Images were developed using FeQ™ ECL Substrate Kit.